

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/6/2020 Revision date: 10/6/2020 Supersedes: 12/10/2019

SECTION 1: Identification			
1.1. Identification			
Product form Product name CAS-No. Product code Other means of identification	Mixture EZ Cubed AZS Mixture 7326 Alumina-Silicate Cement Bonded Castable		
1.2. Recommended use and restrictions on	use		
Use of the substance/mixture Recommended use	: Refractory : Industrial use		
1.3. Supplier			
Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States 412-494-4491 <u>SDS@RescoProducts.com</u> - <u>WWW.RescoProducts.co</u>	<u>om</u>		
1.4. Emergency telephone number			
Emergency number	: EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mixtu	re		
GHS US classification			
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Carcinogenicity Category 1A Full text of H statements : see section 16	H315Causes skin irritationH320Causes eye irritationH350May cause cancer (Inhalation)		
2.2. GHS Label elements, including precauti	onary statements		
GHS US labeling Hazard pictograms (GHS US)			
Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	<ul> <li>Danger</li> <li>H315 - Causes skin irritation H320 - Causes eye irritation H350 - May cause cancer (Inhalation)</li> <li>P280 - Wear eye protection, Dust respirator, protective gloves.</li> </ul>		
Fieldutionary statements (GHS US)	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P260 - Do not breathe dust.		
2.3. Other hazards which do not result in cla	ssification		
Other hazards which do not result in classification	: Radioactivity: In common with many naturally occurring mineral products zirconia contains very low levels of naturally occurring radioactive elements, principally uranium, thorium and radium. The principal radiation hazard is due to inhalation of any dust, while a secondary lesser external hazard exists through gamma radiation.		
2.4. Unknown acute toxicity (GHS US) Not applicable			
SECTION 3: Composition/Information o	n ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identifier % GHS US classification		
Zirconia	CAS-No.: 1314-23-4 10 – 20 Not classified		
aluminium oxide, non-fibrous	CAS-No.: 1344-28-1 10 – 20 Not classified		

### Safety Data Sheet

Name		Product identifier	%	GHS US classification
Calcium Aluminate Cement		CAS-No.: 65997-16-2	5 – 10	Skin Irrit. 2, H315 Eye Irrit. 2B, H320
silicon carbide		CAS-No.: 409-21-2	5 – 10	Carc. 1B, H350
cristobalite Full text of hazard classes and H-statements : see	agation 16	CAS-No.: 14464-46-1	0.1 – 0.5	Carc. 1A, H350
SECTION 4: First-aid measures				
4.1. Description of first aid measures				
First-aid measures general	(show the label whe	ere possible).		you feel unwell, seek medical advice
First-aid measures after inhalation First-aid measures after skin contact	<ul> <li>Allow affected person to breathe fresh air. Allow the victim to rest.</li> <li>Wash with plenty of soap and water. Wash contaminated clothing before reuse.</li> </ul>			
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present			
	and easy to do. Continue rinsing. : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.			
First-aid measures after ingestion			ain emergency i	nedical attention.
4.2. Most important symptoms and effect				
Potential Adverse human health effects and symptoms	: Based on available	data, the classification c	riteria are not m	et.
Symptoms/effects after inhalation	: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.			
Symptoms/effects after skin contact	: Causes skin irritation			
Symptoms/effects after eye contact	: Causes eye irritatio			
4.3. Immediate medical attention and spe	cial treatment, if nece	essary		
No additional information available				
SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguishi			no un alia a fino	
Suitable extinguishing media Unsuitable extinguishing media	: In case of fire, all e	nedia appropriate for sur xtinguishing media allow		
5.2. Specific hazards arising from the che				
Fire hazard	: Not flammable.			
5.3. Special protective equipment and pro				
Firefighting instructions Protection during firefighting	<ul> <li>Fight fire with normal precautions from a reasonable distance.</li> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>			
SECTION 6: Accidental release meas				
6.1. Personal precautions, protective equ	ipment and emergen	cv procedures		
6.1.1. For non-emergency personnel	J	.,		
Emergency procedures	: Do not breathe dus	t.		
6.1.2. For emergency responders Protective equipment	· Equip cleanup crew	with proper protection.		
Emergency procedures	: Ventilate area.			
6.2. Environmental precautions				
Prevent entry to sewers and public waters.				
6.3. Methods and material for containment	nt and cleaning up			
Methods for cleaning up		shovel into suitable conta	ainers. Minimize	generation of dust.
6.4. Reference to other sections				
See Heading 8. Exposure controls and personal p	protection.			
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling				nd understood. Avoid raising dust.
Hygiene measures				rater before eating, drinking or
7.2. Conditions for safe storage, includin	•			
Storage conditions Incompatible products		n a dry location where it o	can be protected	d from the elements.
SECTION 8: Exposure controls/perso		iy acius.		
8.1. Control parameters				

### Safety Data Sheet

EZ Cubed AZS (Mixture)	
No additional information available	
Calcium Aluminate Cement (65997	/-16-2)
No additional information available	
silicon carbide (409-21-2)	
USA - ACGIH - Occupational Exposure	) Limits
ACGIH OEL TWA	3 mg/m <sup>3</sup> (Silicon carbide, nonfibrous; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica.
aluminium oxide, non-fibrous (134	14-28-1)
USA - ACGIH - Occupational Exposure	) Limits
ACGIH OEL TWA	1 mg/m <sup>3</sup> respirable dust
Zirconia (1314-23-4)	
USA - ACGIH - Occupational Exposure	Limits
ACGIH OEL TWA	5 mg/m³ As Zr
USA - OSHA - Occupational Exposure	Limits
OSHA PEL (TWA) [1]	5 mg/m³ As Zr
cristobalite (14464-46-1)	
USA - ACGIH - Occupational Exposure	) Limits
ACGIH OEL TWA	0.025 mg/m <sup>3</sup> respirable dust
USA - OSHA - Occupational Exposure	Limits
OSHA PEL (TWA) [1]	0.05 mg/m <sup>3</sup> respirable dust
8.2. Appropriate engineering contr	ols
Appropriate engineering controls	: Provide adequate ventilation to minimize dust concentrations.
8.3. Individual protection measure Personal protective equipment:	s/Personal protective equipment
Avoid all unnecessary exposure.	
Hand protection:	
Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
Wear appropriate mask	
Other information: Do not eat, drink or smoke during use.	
SECTION 9: Physical and chem	nical properties
9.1. Information on basic physical	and chemical properties
Physical state	: Solid
Appearance Color	: Granular mixture. : Light gray
Odor	: earthy
Odor threshold pH	: No data available : No data available
Melting point Freezing point	<ul> <li>&gt; 2500 °F</li> <li>No data available</li> </ul>

### Safety Data Sheet

· · · · · · · · · · · · · · · · · · ·	
Flash point:Relative evaporation rate (butyl acetate=1):Flammability (solid, gas):Vapor pressure:Relative vapor density at 20 °C:Relative density:Solubility:Partition coefficient n-octanol/water (Log Pow):Auto-ignition temperature:Decomposition temperature:Viscosity, kinematic:Viscosity, dynamic:Explosion limits:Explosive properties:	No data available No data available No flammable. No data available No data available ≈ 3 Slightly soluble. No data available No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Hydraulic setting.	
10.2. Chemical stability	
Stable under normal conditions of use.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Avoid dust formation.	
<b>10.5. Incompatible materials</b> Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (dermal) :	Not classified Not classified Not classified
silicon carbide (409-21-2)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
aluminium oxide, non-fibrous (1344-28-1)	
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
Skin corrosion/irritation :	Causes skin irritation.
Calcium Aluminate Cement (65997-16-2)	
рН	≤ 13
silicon carbide (409-21-2)	
рН	Not applicable (non-soluble in water), CIPAC MT 75: Determination of pH
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)

### Safety Data Sheet

cristobalite (14464-46-1)	
pН	6 – 7
	Causes eye irritation.
Calcium Aluminate Cement (65997-16-2)	
рН	≤ 13
silicon carbide (409-21-2)	
рН	Not applicable (non-soluble in water), CIPAC MT 75: Determination of pH
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)
cristobalite (14464-46-1)	
рН	6 - 7
Germ cell mutagenicity : Carcinogenicity :	Not classified Not classified May cause cancer (Inhalation).
silicon carbide (409-21-2)	
IARC group	2A - Probably carcinogenic to humans
STOT-single exposure       :         STOT-repeated exposure       :         Aspiration hazard       :	Not classified Not classified Not classified Not classified Not Applicable
silicon carbide (409-21-2)	
Viscosity, kinematic	Not applicable (solid)
aluminium oxide, non-fibrous (1344-28-1)	
Viscosity, kinematic	Not applicable (solid)
symptoms Symptoms/effects after inhalation : Symptoms/effects after skin contact :	Based on available data, the classification criteria are not met. May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation. Causes skin irritation. Causes eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
silicon carbide (409-21-2)	
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
aluminium oxide, non-fibrous (1344-28-1)	
LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)
12.2. Persistence and degradability	
EZ Cubed AZS (Mixture)	
Persistence and degradability	Not established.
silicon carbide (409-21-2)	
Persistence and degradability Chemical oxygen demand (COD)	Biodegradability: not applicable. Not applicable (inorganic)
ThOD	Not applicable (inorganic)

### Safety Data Sheet

aluminium oxide, non-fibrous (1344-28-1)	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
cristobalite (14464-46-1)	
Persistence and degradability	Mineral. Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
12.3. Bioaccumulative potential	
EZ Cubed AZS (Mixture)	
Bioaccumulative potential	Not established.
silicon carbide (409-21-2)	
Bioaccumulative potential	Not bioaccumulative.
aluminium oxide, non-fibrous (1344-28-1)	
Bioaccumulative potential	No data available.
cristobalite (14464-46-1)	
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
silicon carbide (409-21-2)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for adsorption in soil.
aluminium oxide, non-fibrous (1344-28-1)	
Surface tension	No data available in the literature
Ecology - soil	No data available.
cristobalite (14464-46-1)	
Ecology - soil	No data available.
12.5. Other adverse effects	
Effect on the global warming	: None known
Other information	: No other effects known.
SECTION 13: Disposal considerations	
13.1. Disposal methods	
Product/Packaging disposal recommendations Ecology - waste materials	<ul> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Avoid release to the environment.</li> </ul>
SECTION 14: Transport information	
In accordance with DOT / TDG / IMDG / IATA	
Department of Transportation (DOT)	
In accordance with DOT	
Not regulated	
Transportation of Dangerous Goods	
Not regulated	
Transport by sea	
Not regulated	
Air transport	
Not regulated	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are present and listed (TSCA) inventory	as Active on the United States Environmental Protection Agency Toxic Substances Control Act
aluminium oxide, non-fibrous (1344-28-1)	
Not subject to reporting requirements of the United S	
Note Note: The se	ction 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum

Not subject to reporting requirements	of the United States SARA Section 313	
	Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.	
15.2. International regulations		
CANADA		
<b>Calcium Aluminate Cement (659</b>	997-16-2)	
Listed on the Canadian DSL (Domestic Substances List)		

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

silicon carbide (409-21-2)						
Listed on the Canadian DSL (Domestic Substances List)						
	·	•				
aluminium oxide, non-	fibrous (1344-28-1)					
Listed on the Canadian DSL (Domestic Substances List)						
	·					
Zirconia (1314-23-4)						
Listed on the Canadian DS	L (Domestic Substances Lis	it)				
	``````````````````````````````````````	,				
cristobalite (14464-46-	1)					
Listed on the Canadian DS	L (Domestic Substances Lis	it)				
EU-Regulations	·	•				
No additional information av	ailable					
National regulations						
silicon carbide (409-21						
Listed on IARC (Internation	al Agency for Research on	Cancer)				
15.3. US State regulation	ons					
EZ Cubed AZS (Mixtur	e)					
				alline silica, a chemical known to the state of California to cause on go to WWW.P65Warnings.ca.gov		
				U		
cristobalite (14464-46-1)						
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable	
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)	
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity			
Yes	No	No	No			
	·		·	·		
Component State or local regulations						
silicon carbide (409-21-2) U.S New Jersey - Right to Know Hazardous Substance List						
aluminium oxide, non-fibrous (1344-28-1) U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous			o Know Hazardous			
Substance List; U.S Pennsylvania - RTK (Right to Know) List						
Cristobalite (14464-46-1)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous				

Cristobalite (14464-46-1)

**SECTION 16: Other information** 

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date Other information

10/06/2020 · Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail.

Full text of H-phrases		
H315	Causes skin irritation	
H320	Causes eye irritation	
H350	May cause cancer	
Safety Data Sheet (	(SDS), USA	

Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.