

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 4/5/2023 Revision date: 4/5/2023 Supersedes: 10/19/2020

## **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture
Product name : EZ Est AZS G
CAS-No. : Mixture
Product code : 4040

Other means of identification : Dry Additive for Gel Bonded Castable

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory Recommended use : Industrial use

#### 1.3. Supplier

Resco Products, Inc.
One Robinson Plaza, Suite 300
6600 Steubenville Pike
Pittsburgh, PA, 15205
United States
412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

#### 1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

## **SECTION 2: Hazard(s) identification**

### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2B

Carcinogenicity Category 1A

H315

Causes skin irritation

Causes eye irritation

Causes eye irritation

May cause cancer (Inhalation)

Full text of H statements: see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US)

Hazard statements (GHS US)

: H315 - Causes skin irritation
H320 - Causes eye irritation

H350 - May cause cancer (Inhalation)

Precautionary statements (GHS US) : P280 - Wear eye protection, protective gloves.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P260 - Do not breathe dust.

# 2.3. Other hazards which do not result in classification

Other hazards which do not result in classification

Radioactivity: In common with many naturally occurring mineral products zirconia contains very low levels of naturally occurring radioactive elements, principally uranium, thorium and radium. The principal radiation hazard is due to inhalation of any dust, while a secondary lesser external hazard exists through gamma radiation. This product contains a dust suppression admixture, that may give off smoke or fumes during initial heat up. These fumes include carbon monoxide, carbon dioxide, and hydrocarbons. Adequate ventilation and appropriate respiratory protection may be required.

## 2.4. Unknown acute toxicity (GHS US)

No additional information available

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Zirconia	CAS-No.: 1314-23-4	20 – 50	Not classified

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
aluminium oxide, non-fibrous	CAS-No.: 1344-28-1	10 – 20	Not classified
silicon carbide	CAS-No.: 409-21-2	5 – 10	Carc. 1B, H350
quartz	CAS-No.: 14808-60-7	1 – 5	Carc. 1A, H350

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

Remove person to fresh air and keep comfortable for breathing. First-aid measures after inhalation

First-aid measures after skin contact Rinse with water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present First-aid measures after eye contact

and easy to do. Continue rinsing.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation

symptoms

May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure

through inhalation. Causes skin irritation.

Symptoms/effects after skin contact Symptoms/effects after eye contact

Causes eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media In case of fire, all extinguishing media allowed.

### 5.2. Specific hazards arising from the chemical

Fire hazard Not flammable.

Hazardous decomposition products in case of fire This product contains a dust suppression admixture, that may give off smoke or fumes during

initial heat up. These fumes include carbon monoxide, carbon dioxide, and hydrocarbons.

Adequate ventilation and appropriate respiratory protection may be required.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions Fight fire with normal precautions from a reasonable distance.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

**Emergency procedures** : Do not breathe dust. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Equip cleanup crew with proper protection. Protective equipment

Emergency procedures Ventilate area. On land, sweep or shovel into suitable containers.

## 6.2. Environmental precautions

No additional information available

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

: On land, sweep or shovel into suitable containers. Minimize generation of dust. Methods for cleaning up

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Avoid raising dust.

Avoid contact with skin and eyes. Do not breathe dust.

Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry place.

4/5/2023 (Revision date) EN (English US) 2/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal	protection
8.1. Control parameters	
EZ Est AZS G (Mixture)	
No additional information available	
aluminium oxide, non-fibrous (1344-28-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 mg/m³ respirable dust
silicon carbide (409-21-2)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	3 mg/m³ (Silicon carbide, nonfibrous; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica.
Zirconia (1314-23-4)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	5 mg/m³ As Zr
USA - OSHA - Occupational Exposure Limits	
OSHA PEL (TWA) [1]	5 mg/m³ As Zr
quartz (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
USA - OSHA - Occupational Exposure Limits	
Local name	Silica, crystalline quartz, respirable dust
OSHA PEL (TWA) [1]	0.05 mg/m³ respirable dust
Remark (OSHA)	(3) See Table Z-3.
8.2. Appropriate engineering controls	
	Provide adequate ventilation to minimize dust concentrations.
8.3. Individual protection measures/Personal Personal protective equipment:	protective equipment
Avoid all unnecessary exposure.	
Hand protection:	
Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
Wear appropriate mask	
Other information: Do not eat, drink or smoke during use	

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granular mixture.

4/5/2023 (Revision date) EN (English US) 3/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Color Light gray Odor odorless Odor threshold No data available рΗ No data available > 3000 °F Melting point Freezing point No data available Boiling point No data available Flash point No data available No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Non flammable. No data available Vapor pressure Relative vapor density at 20°C No data available Relative density ≈ 2.9 Solubility Insoluble in water. Partition coefficient n-octanol/water (Log Pow) No data available No data available Auto-ignition temperature Decomposition temperature No data available Not Applicable Viscosity, kinematic Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties No data available

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None known.

### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Avoid dust formation.

### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

No additional information available

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

aluminium oxide, non-fibrous (1344	-28-1)
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
silicon carbide (409-21-2)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
Ckin correction/irritation	· Coupea akin irritation

Skin corrosion/irritation : Causes skin irritation.

aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)

4/5/2023 (Revision date) EN (English US) 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Silicon carbide (409-21-2)   PH		
quartz (14808-60-7) pH	silicon carbide (409-21-2)	
pH   6 - 7 Serious eye damage/irritation : Causes eye irritation. aluminium oxide, non-fibrous (1344-28-1) pH   9 - 10.5 (aqueous suspension, 33 %)  silicon carbide (409-21-2) pH   Not applicable (non-soluble in water), CIPAC MT 75: Determination of pH quartz (14808-60-7) pH   6 - 7 Respiratory or skin sensitization   Not classified   Gern cell mutagenicity : Not classified   Carcinogenicity : May cause cancer (Inhalation).  silicon carbide (409-21-2)  IARC group   2A - Probably carcinogenic to humans   quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans   Reproductive toxicity : Not classified   STOT-single exposure : Not classified   STOT-single exposure : Not classified   STOT-single exposure : Not aleasified   STOT-single exposure : Not aleasi	рН	Not applicable (non-soluble in water), CIPAC MT 75: Determination of pH
Serious eye damage/initiation : Causes eye irritation.  aluminium oxide, non-fibrous (1344-28-1) pH	quartz (14808-60-7)	
silicon carbide (409-21-2)  pH   Not applicable (non-soluble in water), CIPAC MT 75: Determination of pH    quartz (14808-60-7)  pH   8-7    Respiratory or skin sensitization   Seminority of the sensitization    Germ cell mutagenicity   Not dessified    Germ cell mutagenicity   Shape    IARC group   2A - Probably carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    Not applicable (solid)  IARC group   1 - Carcinogenic to humans    Not applicable (solid)  IARC group   1 - Carcinogenic to humans    IARC group   1 - Carcinogenic to	рН	6 – 7
pH 9 - 10.5 (aqueous suspension, 33 %)  silicon carbide (409-21-2)  pH   Not applicable (non-soluble in water), CIPAC MT 75: Determination of pH    quartz (14806-60-7)  pH   6 - 7    Respiratory or skin sensitization   Not dassified    Germ cell mutagenicity   Not dassified    ARC group   2A - Probably carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans    Reproductive toxicity   Not dassified    STOT-single exposure   Not dassified    STOT-single exposure   Not dassified    STOT-single exposure   Not dassified    Viscosity, kinematic   Not applicable (solid)    silicon carbide (409-21-2)  Viscosity, kinematic   Not applicable (solid)    silicon carbide (409-21-2)  Viscosity, kinematic   Not applicable (solid)    Silicon carbide (409-21-2)    Viscosity, kinematic   Not applicable (solid)    Silicon carbide (409-21-2)    Viscosity in instalation   May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.    Symptoms/effects after skin contact   Symptoms/effects after skin contact   Sased on available data, the classification criteria are not met.    Symptoms/effects after skin contact   Sased on available data, the classification criteria are not met.    Second on available data, the classification criteria are not met.    Sased on available data, the classification criteria are not met.    Sased on available data, the classification criteria are not met.    Sased on available data, the classification criteria are not met.    Sased on available data, the classification criteria are not met.    Sased on available data, the classification criteria are not met.    Sased on available data, the classification criteria are not met.    Sased on available data, the classification criteria are not met.    Sased on available data, the classification c	Serious eye damage/irritation :	Causes eye irritation.
silicon carbide (409-21-2) pH	aluminium oxide, non-fibrous (1344-28-1)	
pH Not applicable (non-soluble in water), CIPAC MT 75: Determination of pH  quartz (14808-60-7) pH 6-7 Respiratory or skin sensitization : Not classified Garrinogenicity : Not classified Garrinogenicity : May cause cancer (inhalation).  silicon carbide (409-21-2) IARC group 2A - Probably carcinogenic to humans  quartz (14808-60-7) IARC group 1- Carcinogenic to humans  quartz (14808-60-7) IARC group 1- Carcinogenic to humans  quartz (14808-60-7) IARC group 1- Carcinogenic to humans  STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-selected exposure : Not classified STOT-selected exposure : Not classified STOT-selected exposure : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-selected exposure : Not classified Stotic standard : Not applicable (solid)  Viscosity, kinematic	рН	9 – 10.5 (aqueous suspension, 33 %)
quartz (14808-60-7) pH   6 - 7 Respiratory or skin sensitization   3 Not classified   3 N	silicon carbide (409-21-2)	
pH   6 - 7 Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer (inhalation).  silicon carbide (409-21-2)  IARC group   2A - Probably carcinogenic to humans  quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans  Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT	рН	Not applicable (non-soluble in water), CIPAC MT 75: Determination of pH
Respiratory or skin sensitization Germ cell mutagenicity Silicon carbide (409-21-2)  IARC group  ZA - Probably carcinogenic to humans  quartz (14808-60-7)  IARC group  IARC g	quartz (14808-60-7)	
Germ cell mutagenicity : May cause cancer (Inhalation).  silicon carbide (409-21-2)  IARC group	рН	6 – 7
Carcinogenicity : May cause cancer (Inhalation).  silicon carbide (409-21-2)  IARC group   2A - Probably carcinogenic to humans  Quartz (14808-60-7)  IARC group   1 - Carcinogenic to humans  Reproductive toxicity : Not classified  STOT-single exposure : Not classified  STOT-single exposure : Not classified  STOT-speated exposure : Not classified  Aspiration hazard : Not classified  Syroscity, kinematic : Not applicable  aluminium oxide, non-fibrous (1344-28-1)  Viscosity, kinematic   Not applicable (solid)  Silicon carbide (409-21-2)  Viscosity, kinematic   Not applicable (solid)  Likely routes of exposure : Inhalation : Based on available data, the classification criteria are not met. symptoms  Symptoms/effects after inhalation : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Symptoms/effects after eye contact : Causes skin irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LCS0 - Fish [1]	Respiratory or skin sensitization :	Not classified
Silicon carbide (409-21-2)     IARC group		
APRO group   2A - Probably carcinogenic to humans		May cause cancer (Innalation).
quartz (14808-60-7)  IARC group		
IARC group	IARC group	2A - Probably carcinogenic to humans
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : Not classified Viscosity, kinematic : Not plicable aluminium oxide, non-fibrous (1344-28-1) Viscosity, kinematic : Not applicable (solid) Silicon carbide (409-21-2) Viscosity, kinematic : Inhalation. : Based on available data, the classification criteria are not met. symptoms Symptoms Symptoms : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Symptoms/effects after skin contact Symptoms/effects after eye contact : Causes skin irritation.  Symptoms/effects after eye contact : Causes skin irritation.  SECTION 12: Ecological information 12.1. Toxicity aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1]	quartz (14808-60-7)	
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not applicable : Not Applic		
STOT-repeated exposure Aspiration hazard Stokematic Stokematic Stokematic Stilicon carbide (409-21-2) Viscosity, kinematic Not applicable (solid)  Stilicon carbide (409-21-2) Viscosity, kinematic Not applicable (solid)  Stilicon carbide (409-21-2) Viscosity, kinematic Not applicable (solid)  Likely routes of exposure Potential Adverse human health effects and symptoms Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after eye contact SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] Silicon carbide (409-21-2)  ErC50 - Crustacea [1] Silicon carbide (409-21-2)  ErC50 algae Silicon carbide (409-21-2)  ErC50 algae Silicon carbide (409-21-2)  ErC50 algae Silicon carbide (409-21-2)  ErC50 (Mixture)	'	
Aspiration hazard Six Not Classified Not Applicable Not Applicable Not Applicable (solid)    Silicon carbide (409-21-2)		
Viscosity, kinematic : Not Applicable  atuminium oxide, non-fibrous (1344-28-1)  Viscosity, kinematic : Not applicable (solid)  silicon carbide (409-21-2)  Viscosity, kinematic : Not applicable (solid)  Likely routes of exposure : Inhalation : Based on available data, the classification criteria are not met. symptoms : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation. : Causes skin irritation. : Causes skin irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]		
Viscosity, kinematic  Silicon carbide (409-21-2)  Viscosity, kinematic  Not applicable (solid)  Likely routes of exposure  Potential Adverse human health effects and symptoms  Symptoms/effects after inhalation  Symptoms/effects after skin contact  Symptoms/effects after eye contact  Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  LC50 - Crustacea [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)  silicon carbide (409-21-2)  ErC50 algae  > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)		Not Applicable
silicon carbide (409-21-2)  Viscosity, kinematic  Likely routes of exposure Potential Adverse human health effects and symptoms  Symptoms/effects after inhalation  Symptoms/effects after inhalation  Symptoms/effects after skin contact Symptoms/effects after skin contact Symptoms/effects after eye contact  Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)  EC50 - Crustacea [1]  > 100 mg/l (48 h, Daphnia magna, Literature study)  silicon carbide (409-21-2)  ErC50 algae  > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)	aluminium oxide, non-fibrous (1344-28-1)	
Viscosity, kinematic  Likely routes of exposure Potential Adverse human health effects and symptoms Symptoms Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after eye contact Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)  EC50 - Crustacea [1]  > 100 mg/l (48 h, Daphnia magna, Literature study)  silicon carbide (409-21-2)  ErC50 algae  > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)	Viscosity, kinematic	Not applicable (solid)
Likely routes of exposure Potential Adverse human health effects and symptoms Symptoms Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact SECTION 12: Ecological information 12.1. Toxicity aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1]  LC50 - Crustacea [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)  silicon carbide (409-21-2)  ErC50 algae  > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)	silicon carbide (409-21-2)	
Potential Adverse human health effects and symptoms  Symptoms/effects after inhalation  Symptoms/effects after skin contact Symptoms/effects after eye contact  Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)  EC50 - Crustacea [1]  > 100 mg/l (48 h, Daphnia magna, Literature study)  silicon carbide (409-21-2)  ErC50 algae  > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)	Viscosity, kinematic	Not applicable (solid)
symptoms Symptoms/effects after inhalation  : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.  Symptoms/effects after skin contact Symptoms/effects after eye contact  : Causes skin irritation.  : Causes eye irritation.  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]		
through inhalation.  Symptoms/effects after skin contact  Symptoms/effects after eye contact  SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]  > 100 mg/l (96 h, Salmo trutta, Literature study)  EC50 - Crustacea [1]  > 100 mg/l (48 h, Daphnia magna, Literature study)  silicon carbide (409-21-2)  ErC50 algae  > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)	symptoms	
Symptoms/effects after skin contact Symptoms/effects after eye contact SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study)  EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study)  silicon carbide (409-21-2)  ErC50 algae > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)	Symptoms/effects after innalation :	
SECTION 12: Ecological information  12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]		Causes skin irritation.
12.1. Toxicity  aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1]		Causes eye iiiitation.
aluminium oxide, non-fibrous (1344-28-1)  LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study)  EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study)  silicon carbide (409-21-2)  ErC50 algae > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)		
EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study)  silicon carbide (409-21-2)  ErC50 algae > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)		
silicon carbide (409-21-2)  ErC50 algae   > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)	LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)
ErC50 algae > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 48 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)	EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)
system, Fresh water, Experimental value, GLP)  12.2. Persistence and degradability  EZ Est AZS G (Mixture)	silicon carbide (409-21-2)	
EZ Est AZS G (Mixture)	ErC50 algae	
	12.2. Persistence and degradability	
Persistence and degradability Not established.	EZ Est AZS G (Mixture)	
·	Persistence and degradability	Not established.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium oxide, non-fibrous (1344-28-1)		
Persistence and degradability	Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
silicon carbide (409-21-2)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
quartz (14808-60-7)		
Persistence and degradability	Not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
12.3. Bioaccumulative potential		
EZ Est AZS G (Mixture)		
Bioaccumulative potential	Not established.	
aluminium oxide, non-fibrous (1344-28-1)		
Bioaccumulative potential	No data available.	
silicon carbide (409-21-2)		
Bioaccumulative potential	Not bioaccumulative.	
quartz (14808-60-7)		
Bioaccumulative potential	No data available.	
12.4. Mobility in soil		
aluminium oxide, non-fibrous (1344-28-1)		
Surface tension	No data available in the literature	
Ecology - soil	No data available.	
silicon carbide (409-21-2)		
Surface tension	No data available in the literature	
Ecology - soil	Low potential for adsorption in soil.	
12.5. Other adverse effects		
Effect on the global warming Other information	None known No other effects known.	

# **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

Department of Transportation (DOT)
In accordance with DOT

Not regulated

**Transportation of Dangerous Goods** 

Not regulated Transport by sea Not regulated

4/5/2023 (Revision date) EN (English US) 6/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Air transport

Not regulated

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting requirements of the United States SARA Section 313

Note

Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.

### 15.2. International regulations

#### **CANADA**

#### aluminium oxide, non-fibrous (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

# silicon carbide (409-21-2)

Listed on the Canadian DSL (Domestic Substances List)

#### Zirconia (1314-23-4)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

**National regulations** 

## silicon carbide (409-21-2)

Listed on IARC (International Agency for Research on Cancer)

## quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

### 15.3. US State regulations

## **EZ Est AZS G (Mixture)**

U.S. - California - Proposition 65 - Other information This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov

quartz (14808-60-7)					
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
_		- Female	- Male		
Yes	No	No	No		

Component	State or local regulations
aluminium oxide, non-fibrous (1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous
	Substance List; U.S Pennsylvania - RTK (Right to Know) List
silicon carbide (409-21-2)	U.S New Jersey - Right to Know Hazardous Substance List
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date 4/5/2023

Other information Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail.

Full text of H-	phrases
H315	Causes skin irritation
H320	Causes eye irritation
H350	May cause cancer

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

4/5/2023 (Revision date) EN (English US) 7/7