

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/23/2022 Revision date: 11/23/2022 Supersedes: 10/29/2020

SECTION 1: Identification	
1.1. Identification	
Product name : CAS-No. : Product code :	Mixture Krial CFB Mixture 7330 Alumina-Silicate Brick
1.2. Recommended use and restrictions on u	Se
Use of the substance/mixture : Recommended use :	Refractory Brick Industrial use
1.3. Supplier	
Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States 412-494-4491 <u>SDS@RescoProducts.com</u> - <u>WWW.RescoProducts.com</u> 1.4. Emergency telephone number	<u>m</u>
	EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixtur	e
GHS US classification Carcinogenicity Category 1A Full text of H statements : see section 16	H350 May cause cancer (Inhalation, Dust when sawing or tear out)
2.2. GHS Label elements, including precaution	onary statements
GHS US labeling Hazard pictograms (GHS US) :	
Signal word (GHS US) : Hazard statements (GHS US) : Precautionary statements (GHS US) :	Danger H350 - May cause cancer (Inhalation, Dust when sawing or tear out) May dry/chap skin. Dust from sawing or tear out may irritate eye. P260 - Do not breathe dust. P280 - Wear Safety shoes, protective gloves, eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
2.3. Other hazards which do not result in class	
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
Not applicable SECTION 3: Composition/Information on	ingradiante
	n ingredients
3.1. Substances	
Not applicable 3.2. Mixtures	
Name	Product identifier % GHS US classification
aluminium oxide, non-fibrous cristobalite	CAS-No.: 1344-28-1 20 – 50 Not classified CAS-No.: 14464-46-1 1 – 5 Carc. 1A, H350
Full text of hazard classes and H-statements : see sec	
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
	Never give anything by mouth to an unconscious person. Allow affected person to breathe fresh air. Gently wash with plenty of soap and water.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects (acute and delayed) Symptoms/effects after inhalation : May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation. Symptoms/effects after skin contact : Slight irritation. Symptoms/effects after eye contact : Dust from sawing or tear out may irritate eye. Symptoms/effects after ingestion : No data available. 4.3. Immediate medical attention and special treatment, if necessary No additional information available SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media Subside extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : In case of fire, all extinguishing media allowed. 5.2. Specific hazards arising from the chemical : In case of fire-fighters Fire fighting instructions : Fight fire with normal precautions from a reasonable distance. SECTION 6: Accidental release measures 6.1.1. For non-emergency personnel No available 6.1.1. For non-emergency responders : Use personal protective equipment as required. 6.2. Forvicomental precautions : Use personal protective equipment as required. 6.2. Forvicomental precautions : Use personal protective equipment as required.				
4.2. Most Important symptoms and effects (acute and delayed) Symptoms/effects after inhalation : May cause acute by inhibition. Danger of serious damage to health by prolonged exposue through inhibition. Symptoms/effects after skin contact : Sight inflation. Symptoms/effects after skin contact : Dust from sawing or tear out may inflate eye. Symptoms/effects after skin contact : Dust from sawing or tear out may inflate eye. Symptoms/effects after skin contact : Dust from sawing or tear out may inflate eye. Symptoms/effects after skin contact : Dust from sawing or tear out may inflate eye. Symptoms/effects after skin contact : Dust from sawing or tear out may inflate eye. Symptoms/effects after skin contact : Dust from sawing or tear out may inflate eye. Symptoms/effects after skin contact : Dust from sawing or tear out may inflate eye. Symptoms/effects after skin contact : Dust from skin growth and skin contact Statistical attentions and skin contact : In case of fre, all exinguishing media appropriate for surrounding fre. Unsutable exinguishing media : In case of fre, all exinguishing media appropriate for surrounding fre. Unsutable exinguishing media : Fight fire with norma precautions from a reasonable distance. SECTION 6: Accidental release measures : Fight fire with norma precautions from free shores <td></td> <td>and easy to do. Continue rinsing.</td>		and easy to do. Continue rinsing.		
Symptoms/effects after inhibition Symptoms/effects after skin contact Symptoms/effects after skin skin skin skin skin skin skin skin		•		
through inhalation		cute and delayed)		
4.3. Immediate medical attention and special treatment, if necessary No additional information available SECTION 5: Fir-6-lighting media : Use extinguishing media Suitable (and unsuitable) extinguishing media : Use extinguishing media Suitable extinguishing media : Use extinguishing media Suitable extinguishing media : Non-flammable. S.2. Specific hazards arising from the chemical Fire hazard Fire hazard : Fight fire with normal precautions from a reasonable distance. SECTION 6: Accidental release measures 61. Personal precautions, protective equipment and emergency procedures 6.1. For ono-mergency personel No additional information available 6.2. Environmental precautions : Use personal protective equipment as required. 6.3. Methods and material for containment and cleaning up Methods for cleaning up Vacaditional information available Section 7: Handling and storage 7.1. Procourious for safe handling : Wear Safety shoes, Gloves. Preacution for safe handling : Wear Safety shoes, Gloves. Preacution for safe handling : Store this product in a dy location where it can be protected from the elements. Storage conditional information available : Store this product in a dy location where it can be protected from the elements.	Symptoms/effects after skin contact : Symptoms/effects after eye contact :	through inhalation. Slight irritation. Dust from sawing or tear out may irritate eye.		
No additional information available SECTION 5: Fire-fighting measures S.1. Suitable available, oxtinguishing media allowed, oxtinguishing media allowed, Suitable available, oxtinguishing media allowed, Suitable available, oxtinguishing media allowed, oxtinguishing media allowed, Suitable available, oxtinguishing media allowed, suitable, oxtinguishing media allow		treatment, if necessary		
5.1. Suitable (and unsuitable) oxtinguishing media : Use extinguishing media appropriate for surrounding fire. Suitable extinguishing media : Use extinguishing media allowed. 5.2. Specific hazards arising from the chemical Fire hazard : Non-filammable. 5.3. Specific hazards arising from the chemical Fire hazard : Non-filammable. 5.3. Specific hazards arising from the chemical Firefighting instructions : Fight fire with normal precautions from a reasonable distance. SECTION 8: Accidental refease measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1. Personal precautions, protective equipment and emergency procedures 6.1. Personal precautions 6.1. Personal precautions Vise personal protective equipment No additional information available : Use personal protective equipment as required. 6.2. Environmental precautions No additional information available 8.3. Methods and material for containment and cleaning up : Collect spillage. 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage : Wear Safety shoes, Gioves. Hygiene measures : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection : Store this product in a dry location where it can be protect				
Suitable exinguishing media i. Use exinguishing media appropriate for surrounding fire. Unsuitable exinguishing media i. In case of fire, all exinguishing media allowed. 5.2. Specific hazards arising from the chemical Fire hazard : Non-flammable. 5.3. Special protective equipment and precautions from a reasonable distance. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1. Personal precautions, protective equipment and emergency procedures 6.2. Environmental precautions Protective equipment : Use personal protective equipment as required. 6.2. Environmental precautions No additional information available 6.3. Methods for cleaning up : Collect spillage. 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available Cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m ² respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits aluminium oxide, non-fibrous (1344-28-1)	SECTION 5: Fire-fighting measures			
Unsulable extinguishing media : In case of fire, all extinguishing media allowed. 52. Specific hazards arising from the chemical Fire hazard : Non-flammable. 53. Specific hazards arising from the chemical Fire hazard : Non-flammable. 53. Specific hazards arising from the chemical Fire hazard : Fight fire with normal precautions from a reasonable distance. SECTION 6: Accidental release measures 61. Personal precautions, protective equipment and emergency procedures 6.1. For one-mergency preponders No additional information available 6.2. Environmental precautions No additional information available 6.3. Methods and material for containment and cleaning up Methods for cleaning up : Collect spillage. 6.4. Reference to other sections No additional information available 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe handling Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions : Store this protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH - Occupational Exposure Limits aduminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	5.1. Suitable (and unsuitable) extinguishing n	nedia		
Fire hazard : Non-flammable. 5.3. Special protective equipment and precautions for fire-fighters Firefightin jinstructions : Fight fire with normal precautions from a reasonable distance. SECTION 6: Accidental release measures 6.1. Per sonal precautions, protective equipment and emergency procedures 6.1.1. For non-mergency presonnel No additional information available 6.2.2. For emergency responders Protective equipment 8.1.2. For onnergency responders Protective equipment 8.1.2. For onnergency responders No additional information available 6.3. Methods and material for containment and cleaning up Methods for cleaning up c. Collect spillage. 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Yill Strage conditions Yill Strage conditions Storage conditional available Cristobalite (14464-61) USA - OSCH - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.025 mg/m² respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - OSCH - Occupational Exposure Limits		Use extinguishing media appropriate for surrounding fire. In case of fire, all extinguishing media allowed.		
5.3. Special protective equipment and precautions for fire-fighters Firefighing instructions : Fight fire with normal precautions from a reasonable distance. SECTION 6: Accidental release measures 6.1.1. For non-emergency personnel No additional information available 6.1.2. For emergency repersonnel No additional information available 6.2. Environmental precautions No additional information available 6.3. Methods and material for containment and cleaning up Methods for cleaning up : Collect spillage. 6.4. Reference to other sections No additional information available Sectron 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions : Store this product in a dy location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available Cost of additional available Cost of parameters Krial CFB (Mixture) No additional information available Cost of parameter	5.2. Specific hazards arising from the chemic	al		
Firefighting instructions : Fight fire with normal precautions from a reasonable distance. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel No additional information available 6.2. Environmental precautions No additional information available 6.3. Methods and material for containment and cleaning up Methods for dening up c. Collect spillage. 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Yigene measures Waar Safety shoes, Gloves. Hygiene measures Storage conditions	Fire hazard :	Non-flammable.		
SECTION 6: Accidental release measures 61. Personal precautions, protective equipment and emergency procedures 6.1. For one-mergency personnel No additional information available 6.2. Environmental precautions No additional information available 6.3. Methods and material for containment and cleaning up Methods for cleaning up : Collect spillage. 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available Cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits OSHA PEL (TWA [1] 0.025 mg/m³ respirable dust USA - ACGIH - Occupational Exposure Limits	5.3. Special protective equipment and precau	itions for fire-fighters		
6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel No additional information available 6.2. Environmental precautions No additional information available 6.3. Methods and material for containment and cleaning up Methods for cleaning up 6.4. Reference to other sections No additional information available 5.2. Environmental precautions No additional information available 5.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe storage, including any incompatibilities Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure contols/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - AccelH - Occupational Exposure Limits ACGIH - Occupational Exposure Limits ACGIH - Occupational Exposure Limits				
6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel No additional information available 6.2. Environmental precautions No additional information available 6.3. Methods and material for containment and cleaning up Methods for cleaning up 6.4. Reference to other sections No additional information available 5.2. Environmental precautions No additional information available 5.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe storage, including any incompatibilities Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure contols/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - AccelH - Occupational Exposure Limits ACGIH - Occupational Exposure Limits ACGIH - Occupational Exposure Limits	SECTION 6: Accidental release measures	s		
6.1.1. For non-emergency personnel No additional information available 6.1.2. For emergency responders Protective equipment In commental precautions No additional information available 6.3. Methods and material for containment and cleaning up Methods for cleaning up Scale not cleaning up Scale not cleaning up Sectorion 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - Accli - Occupational Exposure Limits ACGIH - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust				
No additional information available 6.3. Methods and material for containment and cleaning up Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions 7.2. Conditions for safe storage, including any incompatibilities Storage conditions 8.1. Control parameters Krial CFB (Mixture) No additional information available Cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust USA - ACGIH - Occupational Exposure Limits	6.1.1. For non-emergency personnel No additional information available 6.1.2. For emergency responders			
6.3. Methods and material for containment and cleaning up Methods for cleaning up : Collect spillage. 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Yuah hands and other exposed areas with mild scap and water before eating, drinking or smoking and when leaving work. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	6.2. Environmental precautions			
Methods for cleaning up : Collect spillage. 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe handling Yugene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust USA - ACGIH - Occupational Exposure Limits	No additional information available			
6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Wear Safety shoes, Gloves. Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available Cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m ³ respirable dust USA - OSHA - Occupational Exposure Limits O.05 mg/m ³ respirable dust OSHA PEL (TWA) [1] 0.05 mg/m ³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	6.3. Methods and material for containment an	nd cleaning up		
No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Wear Safety shoes, Gloves. Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m ³ respirable dust USA - OSHA - Occupational Exposure Limits aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	Methods for cleaning up :	: Collect spillage.		
SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling Precautions for safe handling Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	6.4. Reference to other sections			
7.1. Precautions for safe handling : Wear Safety shoes, Gloves. Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 7.2. Conditions for safe storage, including any incompatibilities : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure Limits : Store this product in a dry location where it can be protected from the elements. VISA - OSHA - Occupational Exposure Limits : O.05 mg/m³ respirable d	No additional information available			
Precautions for safe handling : Wear Safety shoes, Gloves. Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust USA - ACGIH - Occupational Exposure Limits	SECTION 7: Handling and storage			
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. 7.2. Conditions for safe storage, including any incompatibilities Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust USA - ACGIH - Occupational Exposure Limits				
Storage conditions : Store this product in a dry location where it can be protected from the elements. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust USA - ACGIH - Occupational Exposure Limits	· · · · · ·	Wash hands and other exposed areas with mild soap and water before eating, drinking or		
SECTION 8: Exposure controls/personal protection 8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OshA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust using aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	7.2. Conditions for safe storage, including an	y incompatibilities		
8.1. Control parameters Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	Storage conditions :	Store this product in a dry location where it can be protected from the elements.		
Krial CFB (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	SECTION 8: Exposure controls/personal	protection		
No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	8.1. Control parameters			
cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits 0.05 mg/m³ respirable dust OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits				
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits 0.05 mg/m³ respirable dust OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	No additional information available			
ACGIH OEL TWA 0.025 mg/m³ respirable dust USA - OSHA - Occupational Exposure Limits 0.05 mg/m³ respirable dust OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits				
USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) [1] 0.05 mg/m³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	USA - ACGIH - Occupational Exposure Limits			
OSHA PEL (TWA) [1] 0.05 mg/m ³ respirable dust aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	ACGIH OEL TWA	0.025 mg/m ³ respirable dust		
aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	USA - OSHA - Occupational Exposure Limits			
USA - ACGIH - Occupational Exposure Limits	OSHA PEL (TWA) [1]	0.05 mg/m ³ respirable dust		
	aluminium oxide, non-fibrous (1344-28-1)			
ACGIH OEL TWA 1 mg/m ³ respirable dust	USA - ACGIH - Occupational Exposure Limits			
	ACGIH OEL TWA	1 mg/m ³ respirable dust		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls	: Dust when sawing or tear out. Provide adequate ventilation to minimize dust concentrations.
8.3. Individual protection measures/Person	nal protective equipment

Hand protection:

Wear protective gloves.

Skin and body protection:

Safety shoes

Respiratory protection:

Dust when sawing or tear out. Wear appropriate mask

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and ch	ennical properties
Physical state	: Solid
Appearance	: Tan Colored Brick Shape.
Color	: light brown
Odor	: None
Odor threshold	: No data available
рН	: No data available
Melting point	: > 3000 °F
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: ≈ 2.7
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability a

SECTION 10: Stability and reactivity	
10.1. Reactivity	
None known.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (dermal)	Not classified Not classified Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium oxide, non-fibrous (1344-28-1)		
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))	
Skin corrosion/irritation :	Not classified	
cristobalite (14464-46-1)		
рН	6 – 7	
aluminium oxide, non-fibrous (1344-28-1)		
рН	9 – 10.5 (aqueous suspension, 33 %)	
Serious eye damage/irritation :	Not classified	
cristobalite (14464-46-1)		
рН	6 – 7	
aluminium oxide, non-fibrous (1344-28-1)		
рН	9 – 10.5 (aqueous suspension, 33 %)	
Germ cell mutagenicity:Carcinogenicity:Reproductive toxicity:STOT-single exposure:STOT-repeated exposure:Aspiration hazard:	Not classified Not classified May cause cancer (Inhalation, Dust when sawing or tear out). Not classified Not classified Not classified Not classified Not classified No data available	
aluminium oxide, non-fibrous (1344-28-1)		
Viscosity, kinematic	Not applicable (solid)	
Symptoms/effects after skin contact : Symptoms/effects after eye contact :	 May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation. Slight irritation. Dust from sawing or tear out may irritate eye. No data available. 	
SECTION 12: Ecological information		
12.1. Toxicity		
aluminium oxide, non-fibrous (1344-28-1)		
LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)	
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)	
12.2. Persistence and degradability		
cristobalite (14464-46-1)		
Persistence and degradability	Mineral. Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
aluminium oxide, non-fibrous (1344-28-1)		
Persistence and degradability	Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
	•	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<u> </u>				
12.3. Bioaccumulative poter	ntial			
cristobalite (14464-46-1)				
Bioaccumulative potential	oaccumulative potential No data available.			
aluminium oxide, non-fibro	us (1344-28-1)			
Bioaccumulative potential	No data available.			
12.4. Mobility in soil				
cristobalite (14464-46-1)				
Ecology - soil				
aluminium oxide, non-fibro	us (1344-28-1)			
Surface tension	No data available in the literature			
Ecology - soil	No data available.			
12.5. Other adverse effects				
No additional information available	e			
SECTION 13: Disposal co	onsiderations			
13.1. Disposal methods				
Product/Packaging disposal recon				
SECTION 14: Transport in In accordance with DOT / TDG / II				
Transportation of Dangerous (Not regulated Transport by sea Not regulated Air transport Not regulated				
SECTION 15: Regulatory	information			
15.1. US Federal regulations				
All components of this product ar (TSCA) inventory	re present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act			
aluminium oxide, non-fibro	us (1344-28-1)			
Not subject to reporting requirem	ients of the United States SARA Section 313			
Note				
15.2. International regulation	ns			
CANADA				
cristobalite (14464-46-1)				
Listed on the Canadian DSL (Dor	mestic Substances List)			
aluminium oxide, non-fibro	us (1344-28-1)			
Listed on the Canadian DSL (Dor	mestic Substances List)			
EU-Regulations No additional information available National regulations No additional information available				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations	
Krial CFB (Mixture)	
U.S California - Proposition 65 - Other information	This product contains crystalline silica, a chemical known to the State of California to cause
	cancer. For more information go to WWW.P65Warnings.ca.gov

cristobalite (14464-46-	1)				
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
		- Female	- Male		
Yes	No	No	No		

Component	State or local regulations
Cristobalite (14464-46-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
aluminium oxide, non-fibrous (1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- 11/23/2022 Report language name. English. In the event of any conflict between English and other language
- Other information : Report language name. English. In the every versions, the English version shall prevail.

Full text of H-phrases

Revision date

H350 May cause cancer Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.