

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 01/13/2023 Revision date: 01/13/2023 Supersedes: 11/05/2020

SECTION 1: Identification				
1.1. Identification				
Product form	: Mixture			
Product name CAS-No.		Ladlelock 90 PBP Dip		
Product code		Mixture 3364 = Mix7079		
Other means of identification		Alumina-Silicate Wet Chemically Bonded Mortar-Slurry		
1.2. Recommended use and restrictions of				
Use of the substance/mixture Recommended use	: Refractory : Industrial use			
1.3. Supplier	. Industrial use			
Resco Products, Inc.				
One Robinson Plaza, Suite 300				
6600 Steubenville Pike				
Pittsburgh, PA, 15205 Jnited States				
412-494-4491				
SDS@RescoProducts.com - WWW.RescoProduct	<u>s.com</u>			
1.4. Emergency telephone number	FUEDOFICE		0	
Emergency number		ILY (CHEMTREC) USA & anada +1 703-741-5970	Canada 1-80	J-424-9300
SECTION 2: Hazard(s) identification				
2.1. Classification of the substance or mix	ture			
GHS US classification				
Skin corrosion/irritation Category 2		315 Causes skir		
Serious eye damage/eye irritation Category 2B Carcinogenicity Category 1A		320 Causes eye 350 May cause		drying or heating, Inhalation)
Full text of H statements : see section 16				
2.2. GHS Label elements, including preca	utionary statements			
GHS US labeling		•		
Hazard pictograms (GHS US)				
		•		
		\mathbf{V}		
Signal word (GHS US)	: Danger			
Hazard statements (GHS US)	: H315 - Causes sk H319 - Causes se			
		cancer (After drying or he	eating, Inhalati	on)
Precautionary statements (GHS US)		dle until all safety precaut		
		protection, protective glov		
		present and easy to do. C		ter for several minutes. Remove
	P332+P313 - If sk	in irritation occurs: Get me	edical advice/a	Ittention.
2.3. Other hazards which do not result in (e irritation persists: Get m	edical advice/	attention.
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
No additional information available				
SECTION 3: Composition/Information	on ingredients			
3.1. Substances				
Not applicable				
3.2. Mixtures				
Name		Product identifier	%	GHS US classification
aluminium oxide, non-fibrous		CAS-No.: 1344-28-1	50 – 75	Not classified
		CAS-No.: 7664-38-2	5 – 10	Skin Corr. 1B, H314
phosphoric acid, conc=75%, aqueous solution		CAS-No.: 7664-36-2 CAS-No.: 14808-60-7		Carc. 1A, H350

Safety Data Sheet

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
the second se	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation:First-aid measures after skin contact:	Allow affected person to breathe fresh air. Allow the victim to rest. Gently wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.
First-aid measures after eye contact :	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects (ad	
Potential Adverse human health effects and : symptoms	Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation :	After drying or heating. May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.
, ,	Causes skin irritation. Causes serious eye irritation.
4.3. Immediate medical attention and special	
No additional information available	i outriont, il noocoury
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing n	nedia
	Use extinguishing media appropriate for surrounding fire.
	No unsuitable extinguishing media known.
5.2. Specific hazards arising from the chemic	al
	Not flammable.
5.3. Special protective equipment and precau	tions for fire-fighters
Firefighting instructions :	Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
	Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measures	5
6.1. Personal precautions, protective equipme	ent and emergency procedures
6.1.1. For non-emergency personnel	If an 'llead, as an an an the floor at the all an and
Emergency procedures : 6.1.2. For emergency responders	If spilled, may cause the floor to be slippery.
Protective equipment : Emergency procedures :	Equip cleanup crew with proper protection. Stop release.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify author	prities if liquid enters sewers or public waters.
6.3. Methods and material for containment an	d cleaning up
	Plug the leak, cut off the supply. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal protec	tion.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
	Avoid contact with eyes. Avoid contact with skin. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including an	y incompatibilities
Storage conditions : Incompatible products :	Store in original container. Keep container closed when not in use. Strong bases. Avoid contact with materials: such as sulfides and sulfites which could release toxic gases, mixing with strong bases because high heat of reaction can generate steam, and metals which could liberate hydrogen, a flammable gas.
SECTION 8: Exposure controls/personal	protection
8.1. Control parameters	

Safety Data Sheet

	-
Ladlelock 90 PBP Dip (Mixture)	
No additional information available	
aluminium oxide, non-fibrous (1344-28-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 mg/m ³ respirable dust
phosphoric acid, conc=75%, aqueous solu	tion (7664-38-2)
No additional information available	
quartz (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m ³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
USA - OSHA - Occupational Exposure Limits	
Local name	Silica, crystalline quartz, respirable dust
OSHA PEL (TWA) [1]	0.05 mg/m ³ respirable dust
Remark (OSHA)	(3) See Table Z-3.
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Emergency eye wash fountain with clean water.
8.3. Individual protection measures/Person Personal protective equipment:	al protective equipment
Avoid all unnecessary exposure.	
Hand protection:	
Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
After air drying or heating. Dust when sawing or tea	r out. Wear appropriate mask
Other information: Do not eat, drink or smoke during use. SECTION 9: Physical and chemical pro	
9.1. Information on basic physical and cher Physical state	mical properties : Liquid
Appearance Color Odor Odor threshold pH Melting point Freezing point Boiling point Critical temperature Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Vapor pressure Relative vapor density at 20°C Relative density Solubility	: Slury. white Acid Odor No data available < 3 > 3000 °F $\approx 32 °F$ Not applicable Not applicable Not applicable Not applicable No data available No data available No data available < 0 No data available < 0 No data available < 0 <

Safety Data Sheet

Auto-ignition temperature: Not applicableDecomposition temperature: No data availableViscosity, kinematic: Not ApplicableViscosity, dynamic: No data availableExplosion limits: No data available	
Explosive properties : No data available	
Oxidizing properties : No data available 9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Air Setting.	
10.2. Chemical stability	
Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
Strong bases. Avoid contact with materials: such as sulfides and sulfites which reaction can generate steam, and metals which could liberate hydrogen, a flar	
10.6. Hazardous decomposition products	
Under normal conditions of storage and use, hazardous decomposition produce	ts should not be produced.
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral): Not classifiedAcute toxicity (dermal): Not classifiedAcute toxicity (inhalation): Not classified	
aluminium oxide, non-fibrous (1344-28-1)	
LD50 oral rat > 15900 mg/kg body	
Experimental value,	weight (Equivalent or similar to OECD 401, Rat, Male / female, Dral, 14 day(s))
Experimental value,	Dral, 14 day(s)) Ilent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value,
Experimental value, LC50 Inhalation - Rat > 2.3 mg/l air (Equivalence)	Dral, 14 day(s)) Ilent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value,
Experimental value, LC50 Inhalation - Rat > 2.3 mg/l air (Equivalinhalation (aerosol), phosphoric acid, conc=75%, aqueous solution (7664-38-2) ATE US (oral) 4400 mg/kg body we	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s))
Experimental value, LC50 Inhalation - Rat > 2.3 mg/l air (Equivalinhalation (aerosol), phosphoric acid, conc=75%, aqueous solution (7664-38-2)	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s))
Experimental value, LC50 Inhalation - Rat > 2.3 mg/l air (Equivalinhalation (aerosol), phosphoric acid, conc=75%, aqueous solution (7664-38-2) ATE US (oral) 4400 mg/kg body we Skin corrosion/irritation : Causes skin irritation.	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s))
Experimental value, LC50 Inhalation - Rat > 2.3 mg/l air (Equival Inhalation (aerosol), phosphoric acid, conc=75%, aqueous solution (7664-38-2) ATE US (oral) 4400 mg/kg body we Skin corrosion/irritation : Causes skin irritation. pH: < 3	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s)) ight
Experimental value, LC50 Inhalation - Rat > 2.3 mg/l air (Equivalinhalation (aerosol), phosphoric acid, conc=75%, aqueous solution (7664-38-2) ATE US (oral) Skin corrosion/irritation : Causes skin irritation. pH 9 – 10.5 (aqueous solution (7664-38-2) phosphoric acid, conc=75%, aqueous solution (7664-38-2)	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s)) ight
Experimental value,LC50 Inhalation - Rat> 2.3 mg/l air (Equivalinhalation (aerosol),phosphoric acid, conc=75%, aqueous solution (7664-38-2)ATE US (oral)4400 mg/kg body weSkin corrosion/irritation: Causes skin irritation. pH: < 3	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s)) ight
Experimental value, LC50 Inhalation - Rat > 2.3 mg/l air (Equivalinhalation (aerosol), phosphoric acid, conc=75%, aqueous solution (7664-38-2) ATE US (oral) ATE US (oral) 4400 mg/kg body we Skin corrosion/irritation : Causes skin irritation. pH 9 – 10.5 (aqueous solution (7664-38-2) pH 9 – 10.5 (aqueous solution (7664-38-2) pH 9 – 0.5 (20 °C) quartz (14808-60-7) 0	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s)) ight
Experimental value, LC50 Inhalation - Rat > 2.3 mg/l air (Equivalinhalation (aerosol), phosphoric acid, conc=75%, aqueous solution (7664-38-2) ATE US (oral) ATE US (oral) 4400 mg/kg body we Skin corrosion/irritation : Causes skin irritation. pH 9 – 10.5 (aqueous solution (7664-38-2) pH 9 – 10.5 (aqueous solution pH: < 3	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s)) ight
Experimental value, LC50 Inhalation - Rat > 2.3 mg/l air (Equivalinhalation (aerosol), phosphoric acid, conc=75%, aqueous solution (7664-38-2) ATE US (oral) ATE US (oral) 4400 mg/kg body we Skin corrosion/irritation : Causes skin irritation. pH 9 – 10.5 (aqueous solution (7664-38-2) pH 9 – 10.5 (aqueous solution (7664-38-2) pH 9 – 0.5 (20 °C) quartz (14808-60-7) 0	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s)) ight
Experimental value,LC50 Inhalation - Rat> 2.3 mg/l air (Equivalinhalation (aerosol),phosphoric acid, conc=75%, aqueous solution (7664-38-2)ATE US (oral)4400 mg/kg body weSkin corrosion/irritation: Causes skin irritation. pH: < 3	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s)) ight
Experimental value,LC50 Inhalation - Rat> 2.3 mg/l air (Equivalinhalation (aerosol),phosphoric acid, conc=75%, aqueous solution (7664-38-2)ATE US (oral)4400 mg/kg body weSkin corrosion/irritation: Causes skin irritation. pH: < 3	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s))
Experimental value,LC50 Inhalation - Rat> 2.3 mg/l air (Equivalinhalation (aerosol),phosphoric acid, conc=75%, aqueous solution (7664-38-2)ATE US (oral)4400 mg/kg body weSkin corrosion/irritation: Causes skin irritation. pH: < 3	Dral, 14 day(s)) alent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, 14 day(s))

Safety Data Sheet

quartz (14808-60-7)	
pH	6-7
•	
Respiratory or skin sensitization : Germ cell mutagenicity :	Not classified Not classified
5 ,	May cause cancer (After drying or heating, Inhalation).
quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
-1	Not classified
STOT-single exposure : STOT-repeated exposure :	Not classified Not classified
Aspiration hazard	Not classified
	Not Applicable
aluminium oxide, non-fibrous (1344-28-1)	
Viscosity, kinematic	Not applicable (solid)
	Based on available data, the classification criteria are not met.
symptoms	
Symptoms/effects after inhalation :	After drying or heating. May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after skin contact :	Causes skin irritation.
	Causes serious eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
aluminium oxide, non-fibrous (1344-28-1)	
LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)
12.2. Persistence and degradability	
Ladlelock 90 PBP Dip (Mixture)	
Persistence and degradability	Not established.
aluminium oxide, non-fibrous (1344-28-1)	
Persistence and degradability Chemical oxygen demand (COD)	Not applicable.
ThOD	Not applicable Not applicable
phosphoric acid, conc=75%, aqueous solutio	
Persistence and degradability	Biodegradability: not applicable.
quartz (14808-60-7)	
Persistence and degradability	Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD 12.3. Bioaccumulative potential	Not applicable
-	
Ladlelock 90 PBP Dip (Mixture) Bioaccumulative potential	Not established.
aluminium oxide, non-fibrous (1344-28-1)	างน ธระสมแขาเดิน.
Bioaccumulative potential	No data available.
phosphoric acid, conc=75%, aqueous solutio	
Bioaccumulative potential	No test data of component(s) available.
guartz (14808-60-7)	
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
aluminium oxide, non-fibrous (1344-28-1)	
Surface tension	No data available in the literature
Ecology - soil	No data available.
phosphoric acid, conc=75%, aqueous solutio	
Ecology - soil	Highly mobile in soil.
12.5. Other adverse effects	
Effect on the global warming :	None known

Safety Data Sheet

	: Avoid release to the environment.
SECTION 13: Disposal con	siderations
13.1. Disposal methods	
Product/Packaging disposal recomm Ecology - waste materials	nendations : Dispose in a safe manner in accordance with local/national regulations. : Avoid release to the environment.
SECTION 14: Transport inf	ormation
n accordance with DOT / TDG / IME Department of Transportation (D In accordance with DOT Not regulated Transportation of Dangerous Go Not regulated Transport by sea Not regulated Air transport Not regulated	ΤΟΟΤ)
SECTION 15: Regulatory in	aformation
	ilormation
15.1. US Federal regulations	
All components of this product are p (TSCA) inventory	present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act
aluminium oxide, non-fibrous	s (1344-28-1)
· · · · · · · · · · · · · · · · · · ·	nts of the United States SARA Section 313
Note	Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing,
	processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.
phosphoric acid conc=75%	
	aqueous solution (7664-38-2)
Not subject to reporting requiremen	
Not subject to reporting requiremen CERCLA RQ	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA	aqueous solution (7664-38-2) Its of the United States SARA Section 313 5000 lb S
phosphoric acid, conc=75%, a Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA aluminium oxide, non-fibrous Listed on the Canadian DSL (Dome	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb s s (1344-28-1)
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA aluminium oxide, non-fibrous Listed on the Canadian DSL (Dome	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb s s (1344-28-1) estic Substances List)
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA aluminium oxide, non-fibrous Listed on the Canadian DSL (Dome phosphoric acid, conc=75%, a	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb s s (1344-28-1) estic Substances List) aqueous solution (7664-38-2)
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA aluminium oxide, non-fibrous Listed on the Canadian DSL (Dome phosphoric acid, conc=75%, a Listed on the Canadian DSL (Dome	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb s s (1344-28-1) estic Substances List) aqueous solution (7664-38-2)
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA aluminium oxide, non-fibrous Listed on the Canadian DSL (Dome phosphoric acid, conc=75%, a Listed on the Canadian DSL (Dome EU-Regulations	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb s s (1344-28-1) estic Substances List) aqueous solution (7664-38-2)
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA aluminium oxide, non-fibrous Listed on the Canadian DSL (Dome phosphoric acid, conc=75%, a Listed on the Canadian DSL (Dome EU-Regulations No additional information available	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb s s (1344-28-1) estic Substances List) aqueous solution (7664-38-2)
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA aluminium oxide, non-fibrous Listed on the Canadian DSL (Dome phosphoric acid, conc=75%, a Listed on the Canadian DSL (Dome EU-Regulations No additional information available National regulations	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb s s (1344-28-1) estic Substances List) aqueous solution (7664-38-2)
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA aluminium oxide, non-fibrous Listed on the Canadian DSL (Dome phosphoric acid, conc=75%, a Listed on the Canadian DSL (Dome U-Regulations No additional information available stational regulations quartz (14808-60-7)	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb s s (1344-28-1) estic Substances List) aqueous solution (7664-38-2) estic Substances List)
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA aluminium oxide, non-fibrous Listed on the Canadian DSL (Dome phosphoric acid, conc=75%, a Listed on the Canadian DSL (Dome U-Regulations No additional information available National regulations quartz (14808-60-7) Listed on IARC (International Agend	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb s s (1344-28-1) estic Substances List) aqueous solution (7664-38-2) estic Substances List)
Not subject to reporting requiremen CERCLA RQ 15.2. International regulations CANADA aluminium oxide, non-fibrous	aqueous solution (7664-38-2) hts of the United States SARA Section 313 5000 lb s s s(1344-28-1) estic Substances List) aqueous solution (7664-38-2) estic Substances List) https://doi.org/10.1000/1000/10.1000/1

quartz (14808-60-7)					
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
_		- Female	- Male		
Yes	No	No	No		

Component	State or local regulations
aluminium oxide, non-fibrous (1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous
	Substance List; U.S Pennsylvania - RTK (Right to Know) List
phosphoric acid, conc=75%, aqueous solution (7664-38-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK
	(Right to Know) List
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

according to Federal Register / Vol.	77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision date	: 01/13/2023
Other information	: Report language name. English. In the event of any conflict between English and other language
	versions, the English version shall prevail.

Full text of H-ph	rases	
H314	Causes severe skin burns and eye damage	
H315	Causes skin irritation	
H320	Causes eye irritation	
H350	May cause cancer	

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.