

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/12/2023 Revision date: 5/12/2023 Supersedes: 11/16/2020

## **SECTION 1: Identification**

#### 1.1. Identification

Product form Article Product name Mighty Agg 98 CAS-No. Mixture Product code 4546

Pre-Cast Refractory Shape Synonyms

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture Refractory Recommended use Industrial use

### 1.3. Supplier

Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 **United States** 412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

### 1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

## SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Not classified

### 2.2. GHS Label elements, including precautionary statements

This product meets the definition and criteria for an article according to OSHA 29 CFR 1910.1200 and the EU REACH 1907/2006 Article 3(3) regulations.

#### 2.3. Other hazards which do not result in classification

Other hazards which do not result in classification Pre-cast shape may be heavy and cause pinch and drop hazards, use of gloves and safety

shoes should be considered.

## 2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	GHS US classification
aluminium oxide, non-fibrous	CAS-No.: 1344-28-1	≥ 95	Not classified
Calcium Aluminate Cement	CAS-No.: 65997-16-2	1 – 5	Skin Irrit. 2, H315
			Eye Irrit. 2B, H320
cristobalite	CAS-No.: 14464-46-1	0.1 – 0.5	Carc. 1A, H350

Full text of hazard classes and H-statements: see section 16

## **SECTION 4: First-aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Allow affected person to breathe fresh air. Allow the victim to rest. First-aid measures after inhalation

Gently wash with plenty of soap and water. First-aid measures after skin contact

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. First-aid measures after ingestion

## 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and Based on available data, the classification criteria are not met.

symptoms

Symptoms/effects after inhalation Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation.

5/12/2023 (Revision date) EN (English US) 1/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : Causes eye irritation.

## 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : In case of fire, all extinguishing media allowed.

## 5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering

environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes. Do not breathe dust.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : On land, sweep or shovel into suitable containers.

## 6.2. Environmental precautions

No additional information available

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust.

## 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Avoid contact with

skin and eyes. Do not breathe dust.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store this product in a dry location where it can be protected from the elements.

Incompatible products : Strong bases. Strong acids.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Mighty Agg 98 (Mixture)

No additional information available

#### Calcium Aluminate Cement (65997-16-2)

No additional information available

### aluminium oxide, non-fibrous (1344-28-1)

#### **USA - ACGIH - Occupational Exposure Limits**

ACGIH OEL TWA 1 mg/m³ respirable dust

## cristobalite (14464-46-1)

## **USA - ACGIH - Occupational Exposure Limits**

ACGIH OEL TWA 0.025 mg/m³ respirable dust

5/12/2023 (Revision date) EN (English US) 2/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **USA - OSHA - Occupational Exposure Limits**

OSHA PEL (TWA) [1] 0.05 mg/m3 respirable dust

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Dust on tear out. Provide adequate ventilation to minimize dust concentrations.

## 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

## Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Safety shoes. Wear suitable protective clothing

### Respiratory protection:

Dust on tear out. Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state

Appearance Solid in various shapes.

Color white Odor odorless

Odor threshold No data available рΗ No data available Melting point > 3000 °F

No data available Freezing point

Boiling point No data available No data available Flash point Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) Not flammable. Vapor pressure No data available Relative vapor density at 20°C No data available

Relative density ≈ 3

Insoluble in water. Solubility Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity, kinematic Not Applicable Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties No data available No data available Oxidizing properties

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable under normal conditions of use.

## 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Avoid dust formation.

5/12/2023 (Revision date) EN (English US) 3/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products  No additional information available	
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	Net along Ford
Acute toxicity (oral) : Acute toxicity (dermal) :	Not classified Not classified
Acute toxicity (inhalation) :	Not classified
aluminium oxide, non-fibrous (1344-28-1)	
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
Skin corrosion/irritation :	Not classified
Calcium Aluminate Cement (65997-16-2)	
рН	≤ 13
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)
cristobalite (14464-46-1)	
рН	6 – 7
Serious eye damage/irritation :	Not classified
Calcium Aluminate Cement (65997-16-2)	
рН	≤ 13
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)
cristobalite (14464-46-1)	
рН	6 – 7
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity : Carcinogenicity :	Not classified Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Viscosity, kinematic : aluminium oxide, non-fibrous (1344-28-1)	Not Applicable
	Not applicable (calid)
Viscosity, kinematic  Potential Adverse human health effects and :	Not applicable (solid)  Based on available data, the classification criteria are not met.
symptoms	
Symptoms/effects after inhalation :	Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation.
, ,	Causes skin irritation.
Symptoms/effects after eye contact : SECTION 12: Ecological information	Causes eye irritation.
12.1. Toxicity	
aluminium oxide, non-fibrous (1344-28-1)	
LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)

5/12/2023 (Revision date) EN (English US) 4/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium oxide, non-fibrous (1344-28-1)	
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)
12.2. Persistence and degradability	
Mighty Agg 98 (Mixture)	
Persistence and degradability	Not established.
aluminium oxide, non-fibrous (1344-28-1)	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
cristobalite (14464-46-1)	
Persistence and degradability	Mineral. Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
12.3. Bioaccumulative potential	
Mighty Agg 98 (Mixture)	
Bioaccumulative potential	Not established.
aluminium oxide, non-fibrous (1344-28-1)	
Bioaccumulative potential	No data available.
cristobalite (14464-46-1)	
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
aluminium oxide, non-fibrous (1344-28-1)	
Surface tension	No data available in the literature
Ecology - soil	No data available.
cristobalite (14464-46-1)	
Ecology - soil	No data available.
12.5. Other adverse effects	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	None known No other effects known.
SECTION 13: Disposal considerations	140 Outof Chicola Rhown.
13.1. Disposal methods	
Product/Packaging disposal recommendations : Ecology - waste materials :	Dispose in a safe manner in accordance with local/national regulations.  Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

**Department of Transportation (DOT)** 

In accordance with DOT

Not regulated

**Transportation of Dangerous Goods** 

Not regulated
Transport by sea
Not regulated
Air transport
Not regulated

5/12/2023 (Revision date) EN (English US) 5/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

## aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting requirements of the United States SARA Section 313

Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.

## 15.2. International regulations

#### CANADA

## Calcium Aluminate Cement (65997-16-2)

Listed on the Canadian DSL (Domestic Substances List)

## aluminium oxide, non-fibrous (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

### cristobalite (14464-46-1)

Listed on the Canadian DSL (Domestic Substances List)

**EU-Regulations** 

No additional information available

**National regulations** 

No additional information available

## 15.3. US State regulations

## Mighty Agg 98 (Mixture)

U.S. - California - Proposition 65 - Other information

This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov

cristobalite (14464-4	46-1)				
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
		- Female	- Male		
Yes	No	No	No		

Component	State or local regulations
aluminium oxide, non-fibrous (1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous
	Substance List; U.S Pennsylvania - RTK (Right to Know) List
Cristobalite (14464-46-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous
	Substance List; U.S Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 5/12/2023

Other information : Report language name. English. In the event of any conflict between English and other language

versions, the English version shall prevail.

Full text of H-phrases	
H315	Causes skin irritation
H320	Causes eye irritation
H350	May cause cancer

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

5/12/2023 (Revision date) EN (English US) 6/6