

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 03/14/2022 Revision date: 03/14/2022 Supersedes: 10/26/2016

SECTION 1: Identification

1.1. Identification

Product form : Article
Product name : Multerm 780
CAS-No. : Mixture
Product code : 2802

Synonyms : Alumina-Silicate Refractory Shape

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory Recommended use : Industrial use

I.3. Supplier

Resco Products. Inc.

One Robinson Plaza, Suite 300 6600 Steubenville Pike

Pittsburgh, PA 15205 - United States

412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

This product meets the definition and criteria for an article according to OSHA 29 CFR 1910.1200 and the EU REACH 1907/2006 Article 3(3) regulations.

Other hazards not contributing to the classification

: The fired shape may be heavy and cause pinch and drop hazards, use of gloves and safety shoes should be considered.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
aluminium oxide, non-fibrous	(CAS-No.) 1344-28-1	70 – 80	Not classified
cristobalite	(CAS-No.) 14464-46-1	20 – 30	Carc. 1A, H350

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Gently wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and : Based

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation.

Symptoms/effects after skin contact : Causes skin irritation.
Symptoms/effects after eye contact : Causes eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : In case of fire, all extinguishing media allowed.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

03/14/2022 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering

environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes. Do not breathe dust.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Emergency procedures : On land, sweep or shovel into suitable containers.

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Avoid contact with

skin and eyes. Do not breathe dust.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store this product in a dry location where it can be protected from the elements.

Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Multerm 780 (Mixture)		
No additional information available		
cristobalite (14464-46-1)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	0.025 mg/m³ respirable dust	
USA - OSHA - Occupational Exposure Limits		
OSHA PEL (TWA) (mg/m³)	0.05 mg/m³ respirable dust	
aluminium oxide, non-fibrous (1344-28-1)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m³)	1 mg/m³ respirable dust	

8.2. Appropriate engineering controls

Appropriate engineering controls : Dust on tear out. Provide adequate ventilation to minimize dust concentrations.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Dust on tear out. Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Solid in various shapes.

Color : Off-white brown

Odor : odorless
Odor threshold : Not applicable

pH : No data available

Melting point : > 2500 °F

03/14/2022 EN (English US) 2/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point : Not applicable Boiling point : Not applicable Critical temperature Not applicable Critical pressure Not applicable Flash point Not applicable Relative evaporation rate (butyl acetate=1) Not applicable Relative evaporation rate (ether=1) Not applicable Flammability (solid, gas) Non flammable. Vapor pressure : Not Applicable Vapor pressure at 50 °C : Not Applicable Relative vapor density at 20 °C No data available

Relative density : ≈ 2.3

Solubility : Insoluble in water. : No data available Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature : Not applicable Decomposition temperature : No data available Viscosity, kinematic No data available Not Applicable Viscosity, dynamic : Not applicable **Explosion limits** Explosive properties : No data available Oxidizing properties : No data available

Other information No additional information available

SECTION 10: Stability and reactivity

Reactivity

No additional information available

10.2. **Chemical stability**

Stable under normal conditions of use.

Possibility of hazardous reactions 10.3.

Not established.

10.4. **Conditions to avoid**

Avoid dust formation.

Incompatible materials 10.5.

Strong acids. Strong bases.

Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1.	Information on toxicological effects		
Acute	toxicity (oral)	:	No
	and the state of t		

ot classified Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified

aluminum oxide, non-norous (1544-26-1)		
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)	
LC50 Inhalation - Rat	7.6 mg/l air (Equivalent or similar to OECD 403, 1 h, Rat, Male, Experimental value, Inhalation (aerosol))	
Skin corrosion/irritation : Not classified		

Serious eye damage/irritation Not classified Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Not classified Carcinogenicity Reproductive toxicity Not classified Not classified STOT-single exposure STOT-repeated exposure Not classified Aspiration hazard Not classified Viscosity, kinematic No data available

Based on available data, the classification criteria are not met. Potential Adverse human health effects and

symptoms

Symptoms/effects after skin contact

Symptoms/effects after eye contact

Symptoms/effects after inhalation Danger of serious damage to health by prolonged exposure through inhalation. May cause

cancer by inhalation. Causes skin irritation. : Causes eye irritation.

03/14/2022 EN (English US) 3/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

Multerm 780 (Mixture)		
Persistence and degradability	Not established.	
cristobalite (14464-46-1)		
Persistence and degradability	Mineral. Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
aluminium oxide, non-fibrous (1344-28-1)		
Persistence and degradability	Not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	

12.3. Bioaccumulative potential

Multerm 780 (Mixture)		
Bioaccumulative potential	Not established.	
cristobalite (14464-46-1)		
Bioaccumulative potential	No data available.	
aluminium oxide, non-fibrous (1344-28-1)		
Bioaccumulative potential No data available.		

12.4. Mobility in soil

cristobalite (14464-46-1)		
Ecology - soil	No data available.	
aluminium oxide, non-fibrous (1344-28-1)		
Ecology - soil	No data available.	

12.5. Other adverse effects

Effect on the global warming
Other information

None known

No other effects known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

Multerm 780 (Mixture)

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting	requirements of the	 United States 	SARA Section 313

Note	Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide	
	contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or	
	otherwise use of aluminum oxide in the fibrous form triggers reporting.	

15.2. International regulations

CANADA

03/14/2022 EN (English US) 4/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cristobalite (14464-46-1)

Listed on the Canadian DSL (Domestic Substances List)

aluminium oxide, non-fibrous (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

Multerm 780 (Mix	(ture)				
			This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov		
cristobalite (14464-46-1)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	Proposition 65 - Reproductive Toxicity	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		
Component			State or local regulations	s	
Cristobalite (14464-46-1)				ght To Know List; U.S New	

	Component	State or local regulations
Cristobalite (14464-46-1)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know
		Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
	aluminium oxide, non-fibrous (1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 03/14/2022

Other information : Report language name. English. In the event of any conflict between English and other

language versions, the English version shall prevail.

Full text of H-phrases:

H350	May cause cancer
------	------------------

SDS US (GHS HazCom 2012)
This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

03/14/2022 EN (English US) 5/5