

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 05/12/2021 Revision date: 05/12/2021 Supersedes: 08/24/2017

SECTION 1: Identification				
1.1. Identification				
Product form	: Mixture			
Product name	: QuikLite 7-I	DS		
CAS-No.	: Mixture			
Product code	: 1632			
Other means of identification		licate Cement Bonded C	astable	
.2. Recommended use and restrictions of				
Use of the substance/mixture	: Refractory			
Recommended use	: Industrial us	se		
.3. Supplier Resco Products, Inc.				
One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA 15205 - United States 412-494-4491				
SDS@RescoProducts.com - WWW.RescoProdu	cts com			
.4. Emergency telephone number	0.00000			
Emergency number		ICY ONLY (CHEMTREC	) USA & Canada 1-800-	424-9300
		A & Canada +1 703-741		424-9500
ECTION 2: Hazard(s) identification				
1. Classification of the substance or mix	cture			
SHS US classification		o olvin innitation		
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Carcinogenicity Category 1A	H320 Causes	s skin irritation s eye irritation ause cancer (Inhalation)		
ull text of H- and EUH-statements: see section 1				
2. GHS Label elements, including preca	utionary stater	ments		
HS US labeling		•		
Hazard pictograms (GHS US)	· 🔨			
Signal word (GHS US) Hazard statements (GHS US)	H320 - Cau	uses skin irritation uses eye irritation		
Precautionary statements (GHS US)	: P280 - Wea P305+P351 contact lens P332+P313 P337+P313	<ul> <li>/ cause cancer (Inhalatic ar eye protection, Dust re 1+P338 - IF IN EYES: Ri ses, if present and easy 3 - If skin irritation occurs 3 - If eye irritation persist not breathe dust.</li> </ul>	espirator, protective glov nse cautiously with wate to do. Continue rinsing. :: Get medical advice/att	r for several minutes. Remove ention.
.3. Other hazards which do not result in				
Other hazards not contributing to the classification	: This product initial heat u		carbon monoxide, carbo	ay give off smoke or fumes during on dioxide, and hydrocarbons. may be required
4. Unknown acute toxicity (GHS US)		Sector Sector		
ot applicable ECTION 3: Composition/Information	on ingredie	ents		
1. Substances				
ot applicable				
2. Mixtures				
Name		Product identifier	%	GHS US classification
Calcium Aluminate Cement	(	(CAS-No.) 65997-16-2	20 – 50	Skin Irrit. 2, H315 Eye Irrit. 2B, H320
cristobalite	(	(CAS-No.) 14464-46-1	20 – 50	Carc. 1A, H350
quartz	(	(CAS-No.) 14808-60-7	1 – 5	Carc. 1A, H350
ull text of hazard classes, H- and EUH-statement		, ,	1	,
ECTION 4: First-aid measures				
.1. Description of first aid measures First-aid measures general		anything by mouth to an w the label where possil		you feel unwell, seek medical
25/10/0001	,	•	•	
05/12/2021	EN (English U	8)		Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cording to Federal Register / Vol. 77, No. 58 / Monday, N	arch 26, 2012 / Rules and Regulations
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if preser and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
.2. Most important symptoms and effects	acute and delayed)
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms Symptoms/effects after inhalation	: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure
	through inhalation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes eye irritation.
.3. Immediate medical attention and spec lo additional information available	cial treatment, if necessary
ECTION 5: Fire-fighting measures	
.1. Suitable (and unsuitable) extinguishir	na media
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: In case of fire, all extinguishing media allowed.
.2. Specific hazards arising from the che	
Fire hazard .3. Special protective equipment and pre	: Not flammable.
Firefighting instructions	: Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering
0	environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: This product contains a dust suppression admixture, that may give off smoke or fumes during initial heat up. These fumes include carbon monoxide, carbon dioxide, and hydrocarbons.
	Adequate ventilation and appropriate respiratory protection may be required.
ECTION 6: Accidental release measu	
.1. Personal precautions, protective equi	pment and emergency procedures
.1.1. For non-emergency personnel	
Emergency procedures	: Do not breathe dust.
.1.2. For emergency responders Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
.2. Environmental precautions	
revent entry to sewers and public waters.	
.3. Methods and material for containmen Methods for cleaning up	: On land, sweep or shovel into suitable containers. Minimize generation of dust.
.4. Reference to other sections	
ee Heading 8. Exposure controls and personal p	rotection.
ECTION 7: Handling and storage	
.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Avoid raising dust.
Hygiene measures	Avoid contact with skin and eyes. Do not breathe dust. : Wash hands and other exposed areas with mild soap and water before eating, drinking or
	smoking and when leaving work.
.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store this product in a dry location where it can be protected from the elements.
Incompatible products SECTION 8: Exposure controls/perso	: Strong bases. Strong acids.
.1. Control parameters	
QuikLite 7-DS (Mixture)	
No additional information available	
Calcium Aluminate Cement (65997-16-2)	
No additional information available	
cristobalite (14464-46-1)	
USA - ACGIH - Occupational Exposure Limit	S
ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> respirable dust
USA - OSHA - Occupational Exposure Limits	
	0.05 mg/m <sup>3</sup> respirable dust
OSHA PEL (TWA) (ma/m <sup>3</sup> )	
OSHA PEL (TWA) (mg/m <sup>3</sup> )	
quartz (14808-60-7)	
quartz (14808-60-7) USA - ACGIH - Occupational Exposure Limit	S S
quartz (14808-60-7)	

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA - OSHA - Occupational Exposure Limits Local name	Cilico anatallino quarta rappirable dust	
OSHA PEL (TWA) (mg/m <sup>3</sup> )	Silica, crystalline quartz, respirable dust         0.05 mg/m³ respirable dust	
Remark (OSHA)	(3) See Table Z-3.	
.2. Appropriate engineering controls		
	: Provide adequate ventilation to minimize dust concentrations.	
3.3. Individual protection measures/Person	al protective equipment	
Personal protective equipment: Avoid all unnecessary exposure.		
Hand protection:		
Wear protective gloves.		
Eye protection: Chemical goggles or safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection: Wear appropriate mask		
Other information:		
Do not eat, drink or smoke during use.		
ECTION 9: Physical and chemical pro	•	
0.1. Information on basic physical and che Physical state	mical properties : Solid	
Appearance	: Granular mixture.	
Color	: brown	
Odor	: earthy	
Odor threshold	: Not applicable	
рН	: No data available	
Melting point	: >2000 °F	
Freezing point	: Not applicable	
Boiling point	: Not applicable	
Critical temperature Critical pressure	: Not applicable : Not applicable	
Flash point	: Not applicable	
Relative evaporation rate (butyl acetate=1)	: Not applicable	
Relative evaporation rate (ether=1)	: Not applicable	
Flammability (solid, gas)	: Non flammable.	
Vapor pressure	: Not Applicable	
Vapor pressure at 50 °C Relative vapor density at 20 °C	: Not Applicable : No data available	
Relative density	: ≈ 1.4	
Solubility	: Slightly soluble.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: Not Applicable	
Explosion limits	: Not applicable	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
No additional information available		
SECTION 10: Stability and reactivity		
0.1. Reactivity		
lydraulic setting. 0.2. Chemical stability		
Stable under normal conditions of use.		
0.3. Possibility of hazardous reactions		
lot established. 0.4. Conditions to avoid		
woid dust formation.		
05/12/2021	EN (English US) 3/5	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials				
Strong acids. Strong bases.				
10.6. Hazardous decomposition products				
No additional information available				
SECTION 11: Toxicological information	n			
11.1. Information on toxicological effects				
Acute toxicity (oral)	: Not classified			
Acute toxicity (dermal)	: Not classified			
Acute toxicity (inhalation)	Not classified			
Skin corrosion/irritation	Causes skin irritation.			
Serious eye damage/irritation	Causes eye irritation.			
Respiratory or skin sensitization	Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: May cause cancer (Inhalation).			
quartz (14808-60-7)				
IARC group	1 - Carcinogenic to humans			
Reproductive toxicity	: Not classified			
STOT-single exposure	: Not classified			
STOT-repeated exposure	: Not classified			
Aspiration hazard	: Not classified			
Viscosity, kinematic	: No data available			
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.			
symptoms	. May access an excision by inhelation. Descent of actions descent to be alth by avalanced surround			
Symptoms/effects after inhalation	: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.			
Symptoms/effects after skin contact	: Causes skin irritation.			
Symptoms/effects after eye contact	: Causes skin match.			
SECTION 12: Ecological information				
e e e e e e e e e e e e e e e e e e e				
12.1. Toxicity				
No additional information available				
12.2. Persistence and degradability				
QuikLite 7-DS (Mixture)				
Persistence and degradability	Not established.			
cristobalite (14464-46-1)				
Persistence and degradability	Mineral. Not applicable.			
Chemical oxygen demand (COD)	Not applicable			
ThOD				
-	Not applicable			
BOD (% of ThOD)	Not applicable			
quartz (14808-60-7)				
Persistence and degradability	Not applicable.			
Biochemical oxygen demand (BOD)	Not applicable			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
12.3. Bioaccumulative potential				
QuikLite 7-DS (Mixture)				
Bioaccumulative potential	Not established.			
aristskalite (44404 40 4)				
cristobalite (14464-46-1)				
Bioaccumulative potential	No data available.			
quartz (14808-60-7)				
Bioaccumulative potential	No data available.			
12.4. Mobility in soil				
cristobalite (14464-46-1)				
Ecology - soil	No data available.			
12.5. Other adverse effects				
Effect on the global warming None known				
Other information	: No other effects known.			
SECTION 13: Disposal considerations				
13.1. Disposal methods Product/Packaging disposal recommondations	· Dispase in a safe manner in accordance with local/actional regulations			
Product/Packaging disposal recommendations Ecology - waste materials	<ul> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Avoid release to the environment.</li> </ul>			
Loology water materials				

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	ransport inform	ation					
epartment of Tr accordance with	ansportation (DOT)						
ot regulated							
	f Dangerous Goods						
ot regulated							
ransport by sea ot regulated							
ir transport							
ot regulated							
ECTION 15: R	egulatory inform	nation					
1. US Federal re	egulations						
QuikLite 7-DS (I	Mixture)						
	trol Act (TSCA) inven		led from li	isting, on the United States	Environmental Protection Ag	ency Toxic	
	nate Cement (65997-	16-2)					
	nadian DSL (Domest		s List)				
cristobalite (144	464-46-1)						
	nadian DSL (Domest	ic Substance	s List)				
-Regulations	, , , , , , , , , , , , , , , , , , ,		,				
additional inform tional regulation							
quartz (14808-6	0-7)						
Listed on IARC (	International Agency	for Research	n on Canc	er)			
3. US State regu	ulations						
QuikLite 7-DS (I	Mixture)						
U.S California information	- Proposition 65 - Oth	ner			lica, a chemical known to the on go to WWW.P65Warnings		
cristobalite (144		1		1	1		
U.S	U.S California -	U.S Calif		U.S California -	No significant risk level	Maximum allowable	
California - Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition Reproducti Toxicity - F	ve	Proposition 65 - Reproductive Toxicity - Male	(NSRL)	dose level (MADL)	
Yes	No	No		No			
quartz (14808-6	0-7)						
U.S California - Proposition 65 - Carcinogens	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female		U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)	
List Yes	No	No		No			
					<u> </u>		
Cristobalite (144	64-46-1)			State or local regulations		lersey - Right to Know	
Cristobalite (14464-46-1)				U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List			
Quartz (14808-6		_		U.S New Jersey - Right	to Know Hazardous Substand	ce List	
	Other information						
ording to Federal R evision date	egister / Vol. 77, No. 58		rch 26, 201 05/12/20	2 / Rules and Regulations			
ther information		:	Report la		the event of any conflict betw ion shall prevail.	een English and other	
ull text of H-phra	ses:		0				

	H315	Causes skin irritation			
	H320	Causes eye irritation			
	H350	May cause cancer			
ופר	SUS (CHS HarCom 2012)				

SDS US (GHS HazCom 2012) This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.