

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 09/13/2021 Revision date: 09/13/2021 Supersedes: 11/18/2016

1. Identification			
Product form	: Mixture		
Product name	: Rescoram 7 CR		
CAS-No.	: Mixture		
Product code Other means of identification	: 0552 : Plastic/Ramming Mix Refractory		
.2. Recommended use and restrictions	5 ,		
Use of the substance/mixture	: Refractory		
Recommended use	: Industrial use		
.3. Supplier			
Resco Products, Inc.			
One Robinson Plaza, Suite 300 6600 Steubenville Pike			
Pittsburgh, PA 15205 - United States			
412-494-4491			
SDS@RescoProducts.com - WWW.RescoProdu	ucts.com		
.4. Emergency telephone number			
Emergency number	: EMERGENCY ONLY (CHEMTR		1-800-424-9300
	Outside USA & Canada +1 703-	741-5970	
ECTION 2: Hazard(s) identification			
.1. Classification of the substance or mi	xture		
GHS US classification	H315 Causes skin irritation		
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B			
Carcinogenicity Category 1A	H350 After drying May cause can	cer (Inhalation)	
full text of H statements : see section 16	, , , , , , , , , , , , , , , , , , , ,		
.2. GHS Label elements, including preca	utionary statements		
HS US labeling			
Hazard pictograms (GHS US)			
Signal word (GHS US)	: Danger		
Hazard statements (GHS US)	: H315 - Causes skin irritation		
	H320 - Causes eye irritation		
	H350 - After drying May cause c	ancer (Inhalation)	
Precautionary statements (GHS US)	: P280 - Wear eye protection, Dus	t respirator, protectiv	e gloves.
			h water for several minutes. Remove
	contact lenses, if present and ea P332+P313 - If skin irritation occ		
	P337+P313 - If eye irritation pers		
	P260 - Do not breathe dust.		
.3. Other hazards which do not result in	classification		
lo additional information available			
.4. Unknown acute toxicity (GHS US) lot applicable			
ECTION 3: Composition/Information	on ingredients		
	ron ingreatents		
.1. Substances lot applicable			
.2. Mixtures			
Name	Product identifier	%	GHS US classification
aluminium oxide, non-fibrous	(CAS-No.) 1344-28-1	50 – 75	Not classified
phosphoric acid, conc=75%, aqueous solution	(CAS-No.) 7664-38-2	5 – 10	Skin Corr. 1B, H314
chromium(III) oxide	(CAS-No.) 1308-38-9	5 – 10	Not classified
	· · · · ·		
quartz	(CAS-No.) 14808-60-7	0.1 - 0.5	Carc. 1A, H350
cristobalite	(CAS-No.) 14464-46-1	0.1 – 0.5	Carc. 1A, H350
	e section 16		
Section 4: First-aid measures .1. Description of first aid measures			
ECTION 4: First-aid measures	: Never give anything by mouth to advice (show the label where po		son. If you feel unwell, seek medical

Safety Data Sheet

	low affected person to breathe fresh air. Allow the victim to rest.
	ash with plenty of soap and water. Wash contaminated clothing before reuse. IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	Indeasy to do. Continue rinsing.
	nse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects (acu Potential Adverse human health effects and : Ba	ased on available data, the classification criteria are not met.
symptoms	
	ter drying or heating. May cause cancer by inhalation. Danger of serious damage to health by
•	olonged exposure through inhalation. auses skin irritation.
Symptoms/effects after eye contact : Ca	auses eye irritation.
4.3. Immediate medical attention and special tro	eatment, if necessary
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing me	dia
	se extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : In	case of fire, all extinguishing media allowed.
5.2. Specific hazards arising from the chemical Fire hazard : No	ot flammable.
5.3. Special protective equipment and precaution	ons for fire-fighters
	kercise caution when fighting any chemical fire. Prevent fire-fighting water from entering
	ivironment.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equipment	t and emergency procedures
6.1.1. For non-emergency personnel	
	void contact with skin and eyes.
6.1.2. For emergency responders Protective equipment : Ec	quip cleanup crew with proper protection.
Emergency procedures : Or	n land, sweep or shovel into suitable containers.
6.2. Environmental precautions Prevent entry to sewers and public waters.	
6.3. Methods and material for containment and	cleaning up
	n land, sweep or shovel into suitable containers.
6.4. Reference to other sections	
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti	
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage	
6.4. Reference to other sections See Heading 8. Exposure controls and personal protection SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do	on. o not handle until all safety precautions have been read and understood. Avoid contact with
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do sk	on. o not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust.
6.4. Reference to other sections See Heading 8. Exposure controls and personal protection SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do sk Hygiene measures : W	on. o not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Hygiene measures : W ST.2. Conditions for safe storage, including any	on. o not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Hygiene measures : W Storage conditions for safe storage, including any Storage conditions	on. D not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements.
6.4. Reference to other sections See Heading 8. Exposure controls and personal protection SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Hygiene measures : W Storage conditions for safe storage, including any : Storage conditions Storage conditions : St SECTION 8: Exposure controls/personal protection	on. D not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements.
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Hygiene measures : W Storage conditions : Storage conditions SECTION 8: Exposure controls/personal p 8.1. Control parameters	on. D not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements.
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Hygiene measures : W Storage conditions : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture)	on. D not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements.
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Precautions for safe handling : Do Sk Hygiene measures : W 7.2. Conditions for safe storage, including any Storage conditions : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available	on. D not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements.
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Precautions for safe handling : Do Sk Hygiene measures : W 7.2. Conditions for safe storage, including any Storage conditions : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1)	on. D not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements.
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Hygiene measures : W Storage conditions : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits	on. Do not handle until all safety precautions have been read and understood. Avoid contact with the sin and eyes. After drying Do not breathe dust. Tash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. The compatibilities The compatibi
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Sk Hygiene measures 7.2. Conditions for safe storage, including any Storage conditions : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³)	on. D not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements.
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Precautions for safe handling : Do Hygiene measures : W Storage conditions : Storage conditions SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) USA - OSHA - Occupational Exposure Limits	on. o not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements. or otection 0.025 mg/m³ respirable dust
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do sk Hygiene measures : W Storage conditions : St SECTION 8: Exposure controls/personal protections : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) (mg/m³)	on. Do not handle until all safety precautions have been read and understood. Avoid contact with the sin and eyes. After drying Do not breathe dust. Tash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. The compatibilities The compatibi
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Precautions for safe handling : Do Precautions for safe handling : Do Precautions for safe storage, including any storage conditions Storage conditions : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) (mg/m³) aluminium oxide, non-fibrous (1344-28-1)	on. o not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements. or otection 0.025 mg/m³ respirable dust
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Precautions for safe handling : Do Hygiene measures : W 7.2. Conditions for safe storage, including any Storage conditions : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) (mg/m³) aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits	on. on ot handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements. orotection 0.025 mg/m ³ respirable dust 0.05 mg/m ³ respirable dust
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Hygiene measures : W Storage conditions : St SECTION 8: Exposure controls/personal protections : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) (mg/m³) aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³)	on. Do not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. Tash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. The most is product in a dry location where it can be protected from the elements. The ordection O.025 mg/m ³ respirable dust O.05 mg/m ³ respirable dust 1 mg/m ³ respirable dust
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do sk Hygiene measures : W Storage conditions : Storage conditions 7.2. Conditions for safe storage, including any Storage conditions Storage conditions : Storage conditions 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) (mg/m³) aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) phosphoric acid, conc=75%, aqueous solution (74)	on. Do not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. Tash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. The most is product in a dry location where it can be protected from the elements. The ordection O.025 mg/m ³ respirable dust O.05 mg/m ³ respirable dust 1 mg/m ³ respirable dust
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Precautions for safe handling : Do Sk Hygiene measures : W 7.2. Conditions for safe storage, including any Storage conditions : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) (mg/m³) aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) phosphoric acid, conc=75%, aqueous solution (70) No additional information available	on. Do not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. Tash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. The most is product in a dry location where it can be protected from the elements. The ordection O.025 mg/m ³ respirable dust O.05 mg/m ³ respirable dust 1 mg/m ³ respirable dust
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Precautions for safe handling : Do Sk Hygiene measures : W 7.2. Conditions for safe storage, including any Storage conditions : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) (mg/m³) aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) phosphoric acid, conc=75%, aqueous solution (70 No additional information available chromium(III) oxide (1308-38-9)	on. o not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements. or otection 0.025 mg/m³ respirable dust 0.05 mg/m³ respirable dust 1 mg/m³ respirable dust
6.4. Reference to other sections See Heading 8. Exposure controls and personal protecti SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Do Precautions for safe handling : Do Sk Hygiene measures : W 7.2. Conditions for safe storage, including any Storage conditions : St SECTION 8: Exposure controls/personal p 8.1. Control parameters Rescoram 7 CR (Mixture) No additional information available cristobalite (14464-46-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) USA - OSHA - Occupational Exposure Limits OSHA PEL (TWA) (mg/m³) aluminium oxide, non-fibrous (1344-28-1) USA - ACGIH - Occupational Exposure Limits ACGIH TWA (mg/m³) phosphoric acid, conc=75%, aqueous solution (70) No additional information available	on. o not handle until all safety precautions have been read and understood. Avoid contact with in and eyes. After drying Do not breathe dust. ash hands and other exposed areas with mild soap and water before eating, drinking or noking and when leaving work. incompatibilities ore this product in a dry location where it can be protected from the elements. or otection 0.025 mg/m³ respirable dust 0.05 mg/m³ respirable dust 1 mg/m³ respirable dust

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

quartz (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (mg/m³)	0.025 mg/m ³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
USA - OSHA - Occupational Exposure Limits	
Local name	Silica, crystalline quartz, respirable dust
OSHA PEL (TWA) (mg/m³)	0.05 mg/m ³ respirable dust
Remark (OSHA)	(3) See Table Z-3.
.2. Appropriate engineering controls	
Appropriate engineering controls .3. Individual protection measures/Person	: Emergency eye wash fountain with clean water.
Personal protective equipment: Avoid all unnecessary exposure.	
Hand protection: Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses Skin and body protection:	
Wear suitable protective clothing. Safety shoes	
Respiratory protection: Dust when sawing or tear out. Wear appropriate	mask
Other information:	
Do not eat, drink or smoke during use.	
SECTION 9: Physical and chemical pro	perties
.1. Information on basic physical and cher	
Physical state	: Solid
Appearance Color	: Plastic. : Green
Odor	: earthy
Odor threshold	: Not applicable
pH	: No data available
Melting point	: > 2500 °F
Freezing point	: Not applicable
Boiling point	: Not applicable
Critical temperature	: Not applicable
Critical pressure Flash point	: Not applicable : Not applicable : Not applicable
Relative evaporation rate (butyl acetate=1)	: Not applicable
Relative evaporation rate (ether=1)	: Not applicable
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: Not Applicable
Vapor pressure at 50 °C Relative vapor density at 20 °C	: Not Applicable : No data available
Relative density	: ≈2.7
Solubility	: Slightly soluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic Viscosity, dynamic	No data availableNot Applicable
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available
.2. Other information	
o additional information available ECTION 10: Stability and reactivity	

10.1. Reactivity Fire conditions may produce small amounts of hexavalent chromium and other oxidation products. Air Setting.

Safety Data Sheet

5 5 <u>5</u>	
10.2. Chemical stability	
Stable under normal conditions of use.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid No additional information available	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological informatio	n
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified : Not classified
Acute toxicity (inhalation) aluminium oxide, non-fibrous (1344-28-1)	
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female,
	Experimental value, Oral)
LC50 Inhalation - Rat	7.6 mg/l air (Equivalent or similar to OECD 403, 1 h, Rat, Male, Experimental value, Inhalation (aerosol))
chromium(III) oxide (1308-38-9)	
LD50 oral rat	> 15000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male, Experimental value,
	Oral)
LC50 Inhalation - Rat	> 5.41 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol))
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: After drying May cause cancer (Inhalation).
quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure STOT-repeated exposure	: Not classified : Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms	
Symptoms/effects after inhalation	: After drying or heating. May cause cancer by inhalation. Danger of serious damage to health by
	prolonged exposure through inhalation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact SECTION 12: Ecological information	: Causes eye irritation.
12.1. Toxicity	
chromium(III) oxide (1308-38-9)	
LC50 fish 1	> 2.9 µg/l (ISO 7346-1, 96 h, Danio rerio, Static system, Fresh water, Experimental value,
	GLP)
12.2. Persistence and degradability	
Rescoram 7 CR (Mixture)	
Persistence and degradability	Not established.
cristobalite (14464-46-1)	Meanst Mid-and Parkin
Persistence and degradability	Mineral. Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
aluminium oxide, non-fibrous (1344-28-1)	
aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability	Not applicable.
aluminium oxide, non-fibrous (1344-28-1)	

Safety Data Sheet

phosphoric acid, conc=75%, aqueous so	lution (7664-38-2)
Persistence and degradability	Biodegradability: not applicable.
chromium(III) oxide (1308-38-9)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
quartz (14808-60-7)	
Persistence and degradability	Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
2.3. Bioaccumulative potential	
Rescoram 7 CR (Mixture)	
Bioaccumulative potential	Not established.
cristobalite (14464-46-1)	
Bioaccumulative potential	No data available.
aluminium oxide, non-fibrous (1344-28-1	
Bioaccumulative potential	No data available.
phosphoric acid, conc=75%, aqueous so	lution (7664-38-2)
Bioaccumulative potential	No test data of component(s) available.
·	
chromium(III) oxide (1308-38-9) BCF fish 1	260 – 800 (Lepomis macrochirus, Fresh water, Read-across, Fresh weight)
Bioaccumulative potential	Potential for bioaccumulation ($500 \le BCF \le 5000$).
•	
quartz (14808-60-7) Bioaccumulative potential	No data available.
•	
,	
cristobalite (14464-46-1) Ecology - soil	No data available.
5,	
aluminium oxide, non-fibrous (1344-28-1	
Ecology - soil	No data available.
phosphoric acid, conc=75%, aqueous so	
Ecology - soil	Highly mobile in soil.
chromium(III) oxide (1308-38-9)	
Surface tension	Not applicable (solid)
Ecology - soil	Adsorbs into the soil.
2.5. Other adverse effects Effect on the global warming	None known
Other information	: No other effects known.
ECTION 13: Disposal consideration	bns
3.1. Disposal methods	
Product/Packaging disposal recommendation	 Bis Dispose in a safe manner in accordance with local/national regulations. Chromite (Cr*+3) may in normal use be converted chemically to a chromate (Cr*+6). Hexavalent chromium (Cr*+6) is
	considered a hazardous material.
Ecology - waste materials	: Avoid release to the environment.
ECTION 14: Transport information	h .
Department of Transportation (DOT) n accordance with DOT	
Not regulated	
Transportation of Dangerous Goods	
Not regulated Fransport by sea	
Not regulated	
Air transport	
Not regulated	
ECTION 15: Regulatory information	pn
.1. US Federal regulations	

Safety Data Sheet

	-	••	•	Rules and Regulations		
Rescoram 7 CR	, ,					
Note					re copied and distributed for t	
Toxic Substance	s Control Act (TSCA)	inventory	, or exclude	ed from listing, on the Unit	ted States Environmental Pro	tection Agency
	e, non-fibrous (1344	2				
	porting requirements					
Note		oduct is non-	fibrous, ar	nd thus is not a section 31	ninum Oxide (Fibrous forms)" 3 material. Only manufacturin	
phosphoric acid	l, conc=75%, aqueo	us solution	(7664-38-2	2)		
Not subject to rep	porting requirements	of the United	I States SA	RA Section 313		
CERCLA RQ			5000 lb			
chromium(III) o	(ide (1308-38-9)					
Subject to reporti	ng requirements of U	nited States	SARA Sec	ction 313		
2. International	regulations					
NADA						
cristobalite (144						
Listed on the Car	nadian DSL (Domesti	c Substance	s List)			
	e, non-fibrous (1344	-				
Listed on the Car	nadian DSL (Domesti	c Substance	s List)			
phosphoric acid	l, conc=75%, aqueo	us solution	(7664-38-2	2)		
Listed on the Car	nadian DSL (Domesti	c Substance	s List)			
chromium(III) ox	(ide (1308-38-9)					
Listed on the Car	nadian DSL (Domesti	c Substance	s List)			
-Regulations						
additional inform						
quartz (14808-6						
• •	International Agency	for Research	n on Cance	er)		
.3. US State regu				,		
Rescoram 7 CR						
U.S California information	- Proposition 65 - Oth	ier	chemical California the state	ly to a chromate (Cr*+6) h a to cause cancer. This pr	*+3) which may in normal use nexavalent chrome, a chemica oduct contains crystalline silic ncer. For more information go	al known to the State of ca, a chemical known to
cristobalite (144	64-46-1)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S Calif Proposition Reproducti Toxicity - F	n 65 - ve	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No		No		
quartz (14808-60	0-7)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S Calif Propositior Reproducti Toxicity - F	n 65 - ve	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No		No		
Component				State or local regulatio	ns	
	non-fibrous (1344-28	3-1)		U.S Massachusetts - F	Right To Know List; U.S New ist; U.S Pennsylvania - RTM	
Cristobalite (1446	64-46-1)			U.S Massachusetts - F	Right To Know List; U.S New ist; U.S Pennsylvania - RTM	w Jersey - Right to Know
phosphoric acid,	conc=75%, aqueous	solution (76	64-38-2)		nt to Know Hazardous Substa	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
chromium(III) oxide (1308-38-9)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List
ECTION 16: Other informatio	n
Revision date Other information	 / Monday, March 26, 2012 / Rules and Regulations : 09/13/2021 : Report language name. English. In the event of any conflict between English and other
Full text of H-phrases:	language versions, the English version shall prevail.
Full text of H-phrases:	language versions, the English version shall prevail. Causes severe skin burns and eye damage
H314	Causes severe skin burns and eye damage

SDS US (GHS HazCom 2012) This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.