

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/25/2021 Revision date: 11/25/2021 Supersedes: 11/26/2018

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Slurry Coat
CAS-No. : Mixture
Product code : 3278

Other means of identification : Alumina-Silicate Wet Air Set Mortar-Slurry

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory Recommended use : Industrial use

1.3. Supplier

Resco Products, Inc.

One Robinson Plaza, Suite 300

6600 Steubenville Pike

Pittsburgh, PA 15205 - United States

412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 2 H315 Causes skin irritation Serious eye damage/eye irritation Category 2B H320 Causes eye irritation

Carcinogenicity Category 1A H350 May cause cancer (After drying or heating, Inhalation)

Full text of H statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation

H350 - May cause cancer (After drying or heating, Inhalation)

Precautionary statements (GHS US) : P202 - Do not handle until all safety precautions have been read and understood.

P280 - Wear eye protection, protective gloves, protective clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
quartz	(CAS-No.) 14808-60-7	20 – 50	Carc. 1A, H350
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions	(CAS-No.) 1344-09-8	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2B, H320

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Gently wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.

10/22/2021 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : After drying or heating. May cause cancer by inhalation. Danger of serious damage to health by

prolonged exposure through inhalation.

Symptoms/effects after skin contact : Causes skin irritation.
Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : In case of fire, all extinguishing media allowed.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : If spilled, may cause the floor to be slippery.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop release.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Plug the leak, cut off the supply.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Avoid contact with skin.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Slurry Coat (Mixture)

No additional information available

sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8)

No additional information available

quartz (14808-60-7)

ACCIH TVVA (ma/m3)

USA - ACGIH - Occupational Exposure Limits

/team rw/t (mg/m)	h; TLV - Adopted Value; Respirable fraction)
USA - OSHA - Occupational Exposure Limits	
Local name	Silica, crystalline quartz, respirable dust

0.05 mg/m3 respirable dust

(3) See Table Z-3.

0.025 mg/m³ (Silica-Crystalline Quartz: LISA: Time-weighted average exposure limit 8

Remark (OSHA) 8.2. Appropriate engineering controls

Appropriate engineering controls : Emergency eye wash fountain with clean water.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

OSHA PEL (TWA) (mg/m3)

Hand protection:

10/22/2021 EN (English US) 2/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

After air drying or heating. Dust when sawing or tear out. Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state : Liquid

Appearance Slurry. Color Gray Odor earthy

Odor threshold : Not applicable

рΗ : > 10 Melting point : > 2000 °F : ≈ 32 °F Freezing point Boiling point : Not applicable Critical temperature Not applicable Critical pressure Not applicable Flash point Not applicable Relative evaporation rate (butyl acetate=1) : Not applicable Relative evaporation rate (ether=1) : Not applicable

Flammability (solid, gas) None

Non flammable. Vapor pressure : Not applicable Vapor pressure at 50 °C Not applicable Relative vapor density at 20 °C No data available

Relative density

Moderately soluble in water. Solubility

: No data available Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature : Not applicable Decomposition temperature : No data available Viscosity, kinematic No data available Viscosity, dynamic Not Applicable **Explosion limits** : Not applicable Explosive properties : No data available Oxidizing properties : No data available

Other information No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Air Setting.

Chemical stability 10.2.

Not established.

Possibility of hazardous reactions 10.3.

Not established.

Conditions to avoid No additional information available Incompatible materials 10.5.

Strong acids. Strong bases.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Not classified Acute toxicity (dermal) Acute toxicity (inhalation) : Not classified

10/22/2021 EN (English US) 3/5

Safety Data Sheet

Ecology - waste materials

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium silicate, alkaline 1.6/2.6, 35%≤conc		
LD50 oral rat	> 2000 mg/kg (Rat, Oral)	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	pH: > 10 : Causes eye irritation.	
Serious eye damage/imation	pH: > 10	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity : May cause cancer (After drying or heating, Inhalation).		
quartz (14808-60-7)		
IARC group	1 - Carcinogenic to humans	
Reproductive toxicity	: Not classified	
STOT-single exposure STOT-repeated exposure	: Not classified : Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.	
symptoms		
Symptoms/effects after inhalation	: After drying or heating. May cause cancer by inhalation. Danger of serious damage to health by	
	prolonged exposure through inhalation.	
Symptoms/effects after skin contact	: Causes skin irritation.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
ECTION 12: Ecological information		
2.1. Toxicity		
sodium silicate, alkaline 1.6/2.6, 35%≤concs	55%, aqueous solutions (1344-09-8)	
LC50 fish 1	210 mg/l (96 h, Brachydanio rerio, Pure substance)	
EC50 Daphnia 1	216 mg/l (96 h, Daphnia magna, Pure substance)	
2.2. Persistence and degradability		
Slurry Coat (Mixture)		
Persistence and degradability	Not established.	
sodium silicate, alkaline 1.6/2.6, 35%≤concs		
Persistence and degradability	Biodegradability: not applicable.	
<u> </u>	•	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
quartz (14808-60-7)		
Persistence and degradability	Not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
2.3. Bioaccumulative potential		
Slurry Coat (Mixture)		
Bioaccumulative potential	Not established.	
<u>'</u>		
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤		
Bioaccumulative potential	No bioaccumulation data available.	
quartz (14808-60-7)		
Bioaccumulative potential	No data available.	
12.4. Mobility in soil		
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8)		
Ecology - soil	No (test) data on mobility of the components available.	
2.5. Other adverse effects		
Effect on the global warming	None known	
Other information	: Avoid release to the environment.	
ECTION 13: Disposal consideration	o de la companya de	
ECTION 13: Disposal consideration: 3.1. Disposal methods		

10/22/2021 EN (English US) 4/5

: Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

Slurry Coat (Mixture)

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Slurry Coat (Mixture)		
U.S California - Proposition 65 - Other	This product contains crystalline silica, a chemical known to the state of California to	
information	cause cancer. For more information go to WWW.P65Warnings.ca.gov	

quartz (14808-60-7)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Component	State or local regulations
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 11/25/2021

Other information : Report language name. English. In the event of any conflict between English and other

language versions, the English version shall prevail.

Full text of H-phrases:

H315	Causes skin irritation	
H320	Causes eye irritation	
H350	May cause cancer	

SDS US (GHS HazCom 2012)

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

10/22/2021 EN (English US) 5/5