



# Uniform 80CLC 102 with Metallic Fiber

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/06/2017

Revision date: 02/06/2017

Supersedes: 05/06/2016

### SECTION 1: Identification

#### 1.1. Identification

Product form : Article  
Product name : Uniform 80CLC 102 with Metallic Fiber Article  
CAS No : Mixture  
Product code : 3250, 3253, 3255, 3453, 3605, 3971, 4052, 4057

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory

#### 1.3. Supplier

##### Manufacturer

Resco Products, Inc.  
One Robinson Plaza, Suite 300  
6600 Steubenville Pike  
Pittsburgh, PA 15205 - United States  
412-494-4491

[SDS@RescoProducts.com](mailto:SDS@RescoProducts.com) - [WWW.RescoProducts.com](http://WWW.RescoProducts.com)

#### 1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300  
Outside USA & Canada +1 703-741-5970

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

This product meets the definition and criteria for an article according to OSHA 29 CFR 1910.1200 and the EU REACH 1907/2006 Article 3(3) regulations.

Other hazards not contributing to the classification : Note: This product contains metallic fiber, hand protection required. Pre-cast shape may be heavy and cause pinch and drop hazards, use of gloves and safety shoes should be considered.

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name                         | Product identifier  | %       | GHS-US classification                      |
|------------------------------|---------------------|---------|--|
| aluminium oxide, non-fibrous | (CAS No) 1344-28-1  | 50 - 75 | Not classified                             |
| quartz                       | (CAS No) 14808-60-7 | 5 - 10  | Carc. 1A, H350                             |
| Calcium Aluminate Cement     | (CAS No) 65997-16-2 | 1 - 5   | Skin Irrit. 2, H315<br>Eye Irrit. 2B, H320 |
| cristobalite                 | (CAS No) 14464-46-1 | 0.5 - 1 | Carc. 1A, H350                             |

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  
First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.  
First-aid measures after skin contact : Gently wash with plenty of soap and water.  
First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation.  
Symptoms/injuries after skin contact : Causes skin irritation.  
Symptoms/injuries after eye contact : Causes eye irritation.  
Symptoms/injuries after ingestion : No data available.

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.  
Unsuitable extinguishing media : No unsuitable extinguishing media known.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

# Uniform 80CLC 102 with Metallic Fiber

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactivity : None known.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety shoes.  
Emergency procedures : Avoid contact with skin and eyes. Do not breathe dust.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : On land, sweep or shovel into suitable containers.

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Do not breathe dust.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store this product in a dry location where it can be protected from the elements.  
Incompatible products : Strong bases. Strong acids.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Calcium Aluminate Cement (65997-16-2)    |                                     |   |
|--|-------------------------------------|---|
| Not applicable                           |                                     |   |
| crystalite (14464-46-1)                  |                                     |   |
| ACGIH                                    | ACGIH TWA (mg/m <sup>3</sup> )      | 0.025 mg/m <sup>3</sup> respirable dust   |
| OSHA                                     | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 0.05 mg/m <sup>3</sup> respirable dust  |
| aluminium oxide, non-fibrous (1344-28-1) |                                     |   |
| ACGIH                                    | ACGIH TWA (mg/m <sup>3</sup> )      | 1 mg/m <sup>3</sup> (Aluminium, insoluble compounds; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction) |
| quartz (14808-60-7)                      |                                     |   |
| ACGIH                                    | ACGIH TWA (mg/m <sup>3</sup> )      | 0.025 mg/m <sup>3</sup> (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)  |
| OSHA                                     | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 0.05 mg/m <sup>3</sup> Respirable fraction  |

### 8.2. Appropriate engineering controls

No additional information available

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Dust when sawing or tear out. Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

# Uniform 80CLC 102 with Metallic Fiber

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|   |                            |
|---|----------------------------|
| Appearance                                  | : Solid in various shapes. |
| Color                                       | : Gray                     |
| Odor  | : odorless                 |
| Odor threshold                              | : Not applicable           |
| pH  | : No data available        |
| Melting point                               | : > 3000 °F                |
| Freezing point                              | : Not applicable           |
| Boiling point                               | : Not applicable           |
| Critical temperature                        | : Not applicable           |
| Critical pressure                           | : Not applicable           |
| Flash point                                 | : Not applicable           |
| Relative evaporation rate (butyl acetate=1) | : Not applicable           |
| Relative evaporation rate (ether=1)         | : Not applicable           |
| Flammability (solid, gas)                   | : Non flammable.           |
| Vapor pressure                              | : Not Applicable           |
| Vapor pressure at 50 °C                     | : Not Applicable           |
| Relative vapor density at 20 °C             | : No data available        |
| Relative density                            | : ≈ 2.7                    |
| Solubility                                  | : Insoluble in water.      |
| Log Pow                                     | : No data available        |
| Auto-ignition temperature                   | : Not applicable           |
| Decomposition temperature                   | : No data available        |
| Viscosity                                   | : Not Applicable           |
| Viscosity, kinematic                        | : Not Applicable           |
| Viscosity, dynamic                          | : Not Applicable           |
| Explosion limits                            | : Not applicable           |
| Explosive properties                        | : No data available        |
| Oxidizing properties                        | : No data available        |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None known.

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Avoid dust formation.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### aluminium oxide, non-fibrous (1344-28-1)

|               |  |
|---------------|--|
| LD50 oral rat | > 15900 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) |
|---------------|--|

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

#### crystalite (14464-46-1)

|            |                            |
|------------|----------------------------|
| IARC group | 1 - Carcinogenic to humans |
|------------|----------------------------|

#### quartz (14808-60-7)

|            |                            |
|------------|----------------------------|
| IARC group | 1 - Carcinogenic to humans |
|------------|----------------------------|

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

# Uniform 80CLC 102 with Metallic Fiber

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| <b>quartz (14808-60-7)</b>                          |  |
|---|--|
| Specific target organ toxicity – repeated exposure  | : Not classified   |
| Aspiration hazard                                   | : Not classified   |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met.  |
| Symptoms/injuries after inhalation                  | : Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation. |
| Symptoms/injuries after skin contact                | : Causes skin irritation.  |
| Symptoms/injuries after eye contact                 | : Causes eye irritation.   |
| Symptoms/injuries after ingestion                   | : No data available.   |

### SECTION 12: Ecological information

#### 12.1. Toxicity

| <b>aluminium oxide, non-fibrous (1344-28-1)</b> |  |
|---|--|
| LC50 fish 1                                     | > 100 mg/l (NOEC; OECD 203: Fish, Acute Toxicity Test; 96 h; Salmo trutta; Flow-through system; Fresh water; Experimental value) |
| EC50 Daphnia 1                                  | > 100 mg/l (NOEC; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)  |
| Threshold limit algae 1                         | > 100 mg/l (NOEC; OECD 201: Alga, Growth Inhibition Test; 72 h; Selenastrum capricornutum)                                       |

#### 12.2. Persistence and degradability

| <b>Uniform 80CLC 102 with Metallic Fiber Article (Mixture)</b> |                  |
|--|------------------|
| Persistence and degradability                                  | Not established. |

| <b>crystalite (14464-46-1)</b>  |                                   |
|---------------------------------|-----------------------------------|
| Persistence and degradability   | Biodegradability: not applicable. |
| Biochemical oxygen demand (BOD) | Not applicable                    |
| Chemical oxygen demand (COD)    | Not applicable                    |
| ThOD                            | Not applicable                    |

| <b>aluminium oxide, non-fibrous (1344-28-1)</b> |  |
|---|--|
| Persistence and degradability                   | Biodegradability: not applicable. No (test) data on mobility of the substance available. |
| Biochemical oxygen demand (BOD)                 | Not applicable   |
| Chemical oxygen demand (COD)                    | Not applicable   |
| ThOD  | Not applicable   |

| <b>quartz (14808-60-7)</b>      |  |
|---------------------------------|--|
| Persistence and degradability   | Biodegradability: not applicable. No (test) data on mobility of the substance available. |
| Biochemical oxygen demand (BOD) | Not applicable   |
| Chemical oxygen demand (COD)    | Not applicable   |
| ThOD                            | Not applicable   |

#### 12.3. Bioaccumulative potential

| <b>Uniform 80CLC 102 with Metallic Fiber Article (Mixture)</b> |                  |
|--|------------------|
| Bioaccumulative potential                                      | Not established. |

| <b>crystalite (14464-46-1)</b> |                                    |
|--------------------------------|------------------------------------|
| Bioaccumulative potential      | No bioaccumulation data available. |

| <b>aluminium oxide, non-fibrous (1344-28-1)</b> |                                    |
|---|------------------------------------|
| Bioaccumulative potential                       | No bioaccumulation data available. |

| <b>quartz (14808-60-7)</b> |                                    |
|----------------------------|------------------------------------|
| Bioaccumulative potential  | No bioaccumulation data available. |

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

|                              |   |
|------------------------------|---|
| Effect on the global warming | : No known effects from this product.<br>None known |
| GWPmix comment               | : No known effects from this product.               |
| Other information            | : Avoid release to the environment.                 |

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

|  |   |
|--|---|
| Product/Packaging disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. |
| Ecology - waste materials                  | : Avoid release to the environment.                                       |

# Uniform 80CLC 102 with Metallic Fiber

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated

#### Transportation of Dangerous Goods

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### aluminium oxide, non-fibrous (1344-28-1)

Subject to reporting requirements of United States SARA Section 313

#### 15.2. International regulations

##### CANADA

No additional information available

##### EU-Regulations

No additional information available

##### National regulations

#### quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

#### 15.3. US State regulations

#### Uniform 80CLC 102 with Metallic Fiber Article (Mixture)

U.S. - California - Proposition 65 - Other information

This product contains crystalline silica, a chemical known to the state of California to cause cancer.

#### cristobalite (14464-46-1)

| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
|---|---|---|---|----------------------------------|
| Yes   | No  | No  | No  |                                  |

#### quartz (14808-60-7)

| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
|---|---|---|---|----------------------------------|
| Yes   | No  | No  | No  |                                  |

#### cristobalite (14464-46-1)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### aluminium oxide, non-fibrous (1344-28-1)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### quartz (14808-60-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

### SECTION 16: Other information

Revision date : 02/06/2017

Other information : Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail.

Full text of H-phrases:

|      |                        |
|------|------------------------|
| H315 | Causes skin irritation |
| H320 | Causes eye irritation  |
| H350 | May cause cancer       |

SDS US (GHS HazCom 2012)

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.